诚实做人 HONEST PERSONHOOD

踏实做事 STEADFAST WORK

开拓创新 PIONEERING SPIRIT

精益求精 PERFECT PURSUING

青岛博信进出口有限公司
QINGDAO BOXIN IMP&EXP CO.,LTD

青岛中嘉金属制品有限公司
QINGDAO ZHONGJIA CARGO CONTROL CO., LTD

青岛博信物流器械有限公司
QINGDAO BOXIN EQUIPMENT CO.,LTD

青岛永晖嘉信进出口有限公司
QINGDAO EVER BRIGHT IMP&EXP CO.,LTD

www.loadlockchina.com

www.cargocontrolchina.com

青岛中嘉金属制品有限公司
QINGDAO ZHONGJIA CARGO CONTROL CO., LTD

孙培龙

Sun Pei Long (Sales Manager)

B-1002, Building 40, HengDa YuLanGuoJi,
702 ShanHe Road, ChengYang District, Qingdao, China.
Postcode: 266108
TEL: 0086-532-58951358 FAX: 0086-532-58951360
Mobile/Wechat: +0086-15805427750
Email: spl@cargocontrolchina.com
SKYPE: cargocontrolchina Whatsapp: +0086 13553063995

CARGO CONTROL SOLUTIONS



VERSION 2023–01

企业简介
Company Profile

QINGDAO ZHONGJIA CARGO CONTROL CO., LTD is specialized in manufacturing the cargo control products, flatbed products, truck/trailer accessories.

Firstly, thanks for the support and cooperation from conversant clients and business partners. In the past 20 years, upon all our efforts, our company could develop quickly and steadily.

Upon "Quality First, Competitive Price, Quick Shipment, Sincere and Efficient Service", Qingdao Zhongjia Cargo Control Co., Ltd. become a reliable reputation company in China.

ISO, BSCI, SGS and BV system approved, your reliable friend and business partner.

20 years for the products ratchet buckle, cam buckle, over center buckle, stainless steel ratchets, ratchet tie downs, cargo lashings, cargo stabilizer bars, jack bars, shoring bar, decking beam, cargo lock plank, parting wall lock, winches, winch bar, winch track, E-track, A-track, F-track, steel and plastic corner protectors, load binder, binder chains, car stops, strap winder, various S hooks, J hooks, D rings fittings, one way buckle, forged D ring with bracket and more.

We offer over 1500 different types of products, which have their special characteristics to different areas.

Welcome the cooperation of customers all over the world to develop the perfect future together.

认证机构(Approved By):

International Organization for Standardization ISO 9001

amfori Trade with purpose

BSCI Business Social Compliance Initiative

SGS

BUREAU VERITAS 1828

BUREAU VERITAS

DEKRA

TÜV SÜD GS geprüfte Sicherheit



CERTIFICATE



Registration No. 32721Q10307R0S

CERTIFICATE

国源认证

QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that the quality management system of

Qingdao Zhongjia Cargo Control Co., Ltd

Unified Social Credit Code：91370283MA3NHJFW5U

Add: Northeast of Waziqiu Village, Nancun Town, Pingdu City, Qingdao City, Shandong Province

Which is in conformity with

GB/T19001-2016 idt ISO9001:2015

This certificate covers the following scope of

Processing of auto parts, hardware parts, machinery parts

This certificate will remain valid unless and until the certified organization accepts at least once surveillance audit annually within the validity period of the certificate and the surveillance audit conforming mark is affixed to the designated place on the certificate.Please login into www.cnca.gov.cn for this certificate's validity status.

Certificate Issue Date: March 31, 2021


Certificate Expiry Date: March 30, 2024

signed by:

SGS INDUSTRIAL TECHNICAL SERVICES CERTIFICATION COMPLIANCE

SGC INTERNATIONAL CERTIFICATION ISO9001

SHANDONG QIAOYUAN CERTIFICATION CO.,LTD 专用章



Monitoring result for QINGDAO ZHONGJIA CARGO CONTROL CO., LTD. on site QINGDAO ZHONGJIA CARGO CONTROL CO., LTD.

amfori Trade with purpose

Monitoring

Monitored Party	: QINGDAO ZHONGJIA CARGO CONTROL CO., LTD.
amfori ID	: 156-039367-000
Site	: QINGDAO ZHONGJIA CARGO CONTROL CO., LTD.
Site amfori ID	: 156-039367-001
Address	: Northeast of Waziqiu Village, Nancun Town, Pingdu City
	: 266700, Qingdao
	: Shandong Sheng
	: China
Monitoring Activity	: amfori Social Audit - Manufacturing
Monitoring Type	: Full Monitoring
Submission Date	: 08/09/2022
Expiration Date	: 08/09/2023

This is an extract of the online monitoring result, generated on 08/09/2022, and is only valid as an acknowledgement of the result. To see all the details, review the full monitoring result, which is available here - The English version is the legally binding one.

amfori does not assume any liability with regard to the compliance of this extract, or any versions of this extract, with the Regulation (EU) 2016/679 (General Data Protection Regulation).


All rights reserved. No part of this publication may be reproduced, translated, stored in a retrieval system, or transmitted, in any form or by any means electronic, mechanical, photocopying, recording or otherwise, be lent, re-sold, hired out or otherwise circulated without the amfori consent. © amfori, 2021

Overall rating

A | B | C | D | E | None

Section rating

PA1: Social Management System	C
PA 2: Workers Involvement and Protection	A
PA 3: The Rights of Freedom of Association and Collective Bargaining	A
PA 4: No Discrimination	A
PA 5: Fair Remuneration	B
PA 6: Decent Working Hours	D
PA 7: Occupational Health and Safety	A
PA 8: No Child Labour	A
PA 9: Special Protection for Young Workers	A



ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

TÜV SÜD Product Service

CERTIFICATE

No. Z1A 116889 0001 Rev. 00

Model(s): EB25047, EB25004, EB35002, EB35003, EB50009-4T, EB50009-5T, EB50011, EB75001

Parameters:

Model:	EB25047	EB25004	EB35002
Lashing capacity (daN):	250	400	1000
Textile webbing (mm):	25×1.1	25×1.1	36×1.7
Material:			
Textile webbing:	PES	PES	PES

Model:	EB35003	EB50009-4T	EB50009-5T
Lashing capacity (daN):	1500	2000	2500
Textile webbing (mm):	36×2.0	50×2.0	50×2.5
Material:			
Textile webbing:	PES	PES	PES

Model:	EB50011	EB75001
Lashing capacity (daN):	2500	5000
Textile webbing (mm):	50×2.6	76×3.6
Material:		
Textile webbing:	PES	PES

Page 2 of 2

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®



DEKRA

ZERTIFIKAT
CERTIFICATE

Zertifikatsinhaber: / Licensee: Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Produkt: / Product: Cargo Lock Plank

Handelsname(n): / Trade name(s): --

Typ(en)/Modell(e): / Type(s)/model(s): CLP1102, CLP1301

Produktkenndaten: / Product specifications: CLP1102: 2400 – 2700 mm, 7.8 kg, claimed load 4000N; CLP1301: 1980 – 2910 mm, 8.9 kg, claimed load 1600N

DEKRA Testing and Certification (Shanghai) Ltd. erklärt hiermit, dass das oben genannte Produkt den unten genannten Anforderungen entspricht. Das Produkt kann mit dem abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung des Prüfzeichens ist nicht zulässig. Die Verwendung des Prüfzeichens ist ausschließlich für das genannte Produkt bis zum angegebenen Zeitpunkt erlaubt.

DEKRA Testing and Certification (Shanghai) Ltd. hereby declares that the above-mentioned product is in conformity with the below mentioned requirements. The Product may be labelled with the shown certification mark. Any modification of the layout of the certification mark is prohibited. The Use of the certification mark is only allowed for the mentioned product until the stated date of expiry.

Prüfgrundlage: / Test requirements: DTCGC-F-USE-0128-CAR-Cargo Lock Plank-V3

Fertigungsstätte(n): / Factory location(s): Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Einzelheiten, wie Prüfergebnisse und Komponenten, sind in folgenden Dokumenten niedergelegt:
Details like test results or components are laid down in following documents:
- **Zertifizierungsakten-Nr(n).:** / Certification file no(s): 6014788
- **Typprüfungsbericht(e):** / Type test report(s): 6014788B.50FFU

Das Prüfzeichen darf nur auf den in diesen Dokumenten beschriebenen Produkten angebracht werden. Nur die der Zertifizierungsstelle gemeldeten Bauteile sind zugelassen. Die Verwendung von Alternativen bedarf der vorherigen Zustimmung der Zertifizierungsstelle.
The certification mark may be applied only to products as described in these documents. Only those components are allowed that have been accepted by the certification body. The use of alternatives requires the prior approval of the certification body.

Das Zertifikat wurde herausgegeben am: / This certificate was issued on: 31 January 2018

Es wird spätestens ungültig am: / It expires at the latest on: 30 January 2023

Zertifikats-Nr.: / Certificate no.: 6014788.02DS

DEKRA Testing and Certification (Shanghai) Ltd.

Cliff Lin
Zertifizierungsstelle / Certification Office

Prüfzeichen: / Certification mark:

DEKRA Certified

DEKRA Certified

© Integral publication of this certificate is allowed.

DEKRA Testing and Certification (Shanghai) Ltd.
3F #250 Jiangchangsan Road Building 16 Headquarter Economy Park Shibei Hi-Tech Park, Zhabei District Shanghai 200436 China
T +86 21 6056 7666 F +86 21 6056 7555 www.dekra-certification.com

CERTIFICATE



ZERTIFIKAT
CERTIFICATE

Zertifikatsinhaber: / Licensee: Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Produkt: / Product: Decking Beam and Garment Beam

Handelsname(n): / Trade name(s): --

Typ(en)/Modell(e): / Type(s)/model(s): DB1002A, DB1002AH, GB1101S

Produktkenndaten: / Product specifications: DB1002A: 2310-2590mm, 8.6 kg, claimed load 10000N (horizontal direction) 12000N (Vertically direction) DB1002AH: 2310-2590mm, 10.1 kg, claimed load 12000N (horizontal direction), 15000N (Vertically direction) GB1101S: 2420-2510mm, 7.7 kg, claimed load 4000N

DEKRA Testing and Certification (Shanghai) Ltd. erklärt hiermit, dass das oben genannte Produkt den unten genannten Anforderungen entspricht. Das Produkt kann mit dem abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung des Prüfzeichens ist nicht zulässig. Die Verwendung des Prüfzeichens ist ausschließlich für das genannte Produkt bis zum angegebenen Zeitpunkt erlaubt.
DEKRA Testing and Certification (Shanghai) Ltd. hereby declares that the above-mentioned product is in conformity with the below mentioned requirements. The Product may be labelled with the shown certification mark. Any modification of the layout of the certification mark is prohibited. The Use of the certification mark is only allowed for the mentioned product until the stated date of expiry.

Prüfgrundlage: / Test requirements: DTCGC-F-USE-0127-CAR-Decking Beam-V2

Fertigungsstätte(n): / Factory location(s): Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Einzelheiten, wie Prüfergebnisse und Komponenten, sind in folgenden Dokumenten niedergelegt: / Details like test results or components are laid down in following documents:
- Zertifizierungsakten-Nr(n).: / Certification file no(s).: 6014788
- Typprüfungsbericht(e): / Type test report(s): 6014788C.50FFU

Das Prüfzeichen darf nur auf den in diesen Dokumenten beschriebenen Produkten angebracht werden. Nur die der Zertifizierungsstelle gemeldeten Bauteile sind zugelassen. Die Verwendung von Alternativen bedarf der vorherigen Zustimmung der Zertifizierungsstelle.
The certification mark may be applied only to products as described in these documents. Only those components are allowed that have been accepted by the certification body. The use of alternatives requires the prior approval of the certification body.

Das Zertifikat wurde herausgegeben am: / This certificate was issued on: 31 January 2018
Es wird spätestens ungültig am: / It expires at the latest on: 30 January 2023

Zertifikats-Nr.: / Certificate no.: 6014788.03DS

DEKRA Testing and Certification (Shanghai) Ltd.

Cliff Lin
Zertifizierungsstelle / Certification Office

Prüfzeichen: / Certification mark:

© Integral publication of this certificate is allowed

DEKRA Testing and Certification (Shanghai) Ltd.
3F #250 Jiangchangsan Road Building 16 Headquarter Economy Park Shibei Hi-Tech Park, Zhabei District Shanghai 200436 China
T +86 21 6056 7666 F +86 21 6056 7555 www.dekra-certification.com



ZERTIFIKAT
CERTIFICATE

Zertifikatsinhaber: / Licensee: Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Produkt: / Product: Shoring bar

Handelsname(n): / Trade name(s): --

Typ(en)/Modell(e): / Type(s)/model(s): SB1002, SB1102

Produktkenndaten: / Product specifications: SB1002: 2210-2590mm, 5.2 kg, claimed load 3000N SB1102: 2320-2660mm, 7.8 kg, claimed load 6000N

DEKRA Testing and Certification (Shanghai) Ltd. erklärt hiermit, dass das oben genannte Produkt den unten genannten Anforderungen entspricht. Das Produkt kann mit dem abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung des Prüfzeichens ist nicht zulässig. Die Verwendung des Prüfzeichens ist ausschließlich für das genannte Produkt bis zum angegebenen Zeitpunkt erlaubt.
DEKRA Testing and Certification (Shanghai) Ltd. hereby declares that the above-mentioned product is in conformity with the below mentioned requirements. The Product may be labelled with the shown certification mark. Any modification of the layout of the certification mark is prohibited. The Use of the certification mark is only allowed for the mentioned product until the stated date of expiry.

Prüfgrundlage: / Test requirements: DTCGC-F-USE-0172-CAR-Shoring bar -V1

Fertigungsstätte(n): / Factory location(s): Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Einzelheiten, wie Prüfergebnisse und Komponenten, sind in folgenden Dokumenten niedergelegt: / Details like test results or components are laid down in following documents:
- Zertifizierungsakten-Nr(n).: / Certification file no(s).: 6014788
- Typprüfungsbericht(e): / Type test report(s): 6014788D.50FFU

Das Prüfzeichen darf nur auf den in diesen Dokumenten beschriebenen Produkten angebracht werden. Nur die der Zertifizierungsstelle gemeldeten Bauteile sind zugelassen. Die Verwendung von Alternativen bedarf der vorherigen Zustimmung der Zertifizierungsstelle.
The certification mark may be applied only to products as described in these documents. Only those components are allowed that have been accepted by the certification body. The use of alternatives requires the prior approval of the certification body.

Das Zertifikat wurde herausgegeben am: / This certificate was issued on: 31 January 2018
Es wird spätestens ungültig am: / It expires at the latest on: 30 January 2023

Zertifikats-Nr.: / Certificate no.: 6014788.04DS

DEKRA Testing and Certification (Shanghai) Ltd.

Cliff Lin
Zertifizierungsstelle / Certification Office

Prüfzeichen: / Certification mark:

© Integral publication of this certificate is allowed

DEKRA Testing and Certification (Shanghai) Ltd.
3F #250 Jiangchangsan Road Building 16 Headquarter Economy Park Shibei Hi-Tech Park, Zhabei District Shanghai 200436 China
T +86 21 6056 7666 F +86 21 6056 7555 www.dekra-certification.com



ZERTIFIKAT
CERTIFICATE

Zertifikatsinhaber: / Licensee: Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Produkt: / Product: Track horizontal

Handelsname(n): / Trade name(s): --

Typ(en)/Modell(e): / Type(s)/model(s): TR1201S, TR2701A

Produktkenndaten: / Product specifications: TR1201S: L =3048 mm, 7.0 kg, claimed load 11000N TR2701A: L =2540mm, 1.4 kg, claimed load 10000N

DEKRA Testing and Certification (Shanghai) Ltd. erklärt hiermit, dass das oben genannte Produkt den unten genannten Anforderungen entspricht. Das Produkt kann mit dem abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung des Prüfzeichens ist nicht zulässig. Die Verwendung des Prüfzeichens ist ausschließlich für das genannte Produkt bis zum angegebenen Zeitpunkt erlaubt.
DEKRA Testing and Certification (Shanghai) Ltd. hereby declares that the above-mentioned product is in conformity with the below mentioned requirements. The Product may be labelled with the shown certification mark. Any modification of the layout of the certification mark is prohibited. The Use of the certification mark is only allowed for the mentioned product until the stated date of expiry.

Prüfgrundlage: / Test requirements: DTCGC-F-USE-0282-Track horizontal-V1

Fertigungsstätte(n): / Factory location(s): Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Einzelheiten, wie Prüfergebnisse und Komponenten, sind in folgenden Dokumenten niedergelegt: / Details like test results or components are laid down in following documents:
- Zertifizierungsakten-Nr(n).: / Certification file no(s).: 6014788
- Typprüfungsbericht(e): / Type test report(s): 6014788E.50FFU

Das Prüfzeichen darf nur auf den in diesen Dokumenten beschriebenen Produkten angebracht werden. Nur die der Zertifizierungsstelle gemeldeten Bauteile sind zugelassen. Die Verwendung von Alternativen bedarf der vorherigen Zustimmung der Zertifizierungsstelle.
The certification mark may be applied only to products as described in these documents. Only those components are allowed that have been accepted by the certification body. The use of alternatives requires the prior approval of the certification body.

Das Zertifikat wurde herausgegeben am: / This certificate was issued on: 31 January 2018
Es wird spätestens ungültig am: / It expires at the latest on: 30 January 2023

Zertifikats-Nr.: / Certificate no.: 6014788.05DS

DEKRA Testing and Certification (Shanghai) Ltd.

Cliff Lin
Zertifizierungsstelle / Certification Office

Prüfzeichen: / Certification mark:

© Integral publication of this certificate is allowed

DEKRA Testing and Certification (Shanghai) Ltd.
3F #250 Jiangchangsan Road Building 16 Headquarter Economy Park Shibei Hi-Tech Park, Zhabei District Shanghai 200436 China
T +86 21 6056 7666 F +86 21 6056 7555 www.dekra-certification.com



ZERTIFIKAT
CERTIFICATE

Zertifikatsinhaber: / Licensee: Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Produkt: / Product: Cargo bar

Handelsname(n): / Trade name(s): --

Typ(en)/Modell(e): / Type(s)/model(s): CB1203S, CB1804AH, JB2001S

Produktkenndaten: / Product specifications: CB1203S: 2310 – 2590 mm, 5.3 kg, claimed load 2000N CB1804AH: 2350-2720mm, 4.5 kg, claimed load 1800N JB2001S: 1880-2850 mm, 8.3 kg, claimed load 2300N

DEKRA Testing and Certification (Shanghai) Ltd. erklärt hiermit, dass das oben genannte Produkt den unten genannten Anforderungen entspricht. Das Produkt kann mit dem abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung des Prüfzeichens ist nicht zulässig. Die Verwendung des Prüfzeichens ist ausschließlich für das genannte Produkt bis zum angegebenen Zeitpunkt erlaubt.
DEKRA Testing and Certification (Shanghai) Ltd. hereby declares that the above-mentioned product is in conformity with the below mentioned requirements. The Product may be labelled with the shown certification mark. Any modification of the layout of the certification mark is prohibited. The Use of the certification mark is only allowed for the mentioned product until the stated date of expiry.

Prüfgrundlage: / Test requirements: DTCGC-F-USE-0125-CAR-Cargo bar-V3

Fertigungsstätte(n): / Factory location(s): Qingdao Boxin Equipment Co.,Ltd. Guanzhuang Xi Village, DianJi Town, Jimo City, Qingdao, China

Einzelheiten, wie Prüfergebnisse und Komponenten, sind in folgenden Dokumenten niedergelegt: / Details like test results or components are laid down in following documents:
- Zertifizierungsakten-Nr(n).: / Certification file no(s).: 6014788
- Typprüfungsbericht(e): / Type test report(s): 6014788A.50FFU

Das Prüfzeichen darf nur auf den in diesen Dokumenten beschriebenen Produkten angebracht werden. Nur die der Zertifizierungsstelle gemeldeten Bauteile sind zugelassen. Die Verwendung von Alternativen bedarf der vorherigen Zustimmung der Zertifizierungsstelle.
The certification mark may be applied only to products as described in these documents. Only those components are allowed that have been accepted by the certification body. The use of alternatives requires the prior approval of the certification body.

Das Zertifikat wurde herausgegeben am: / This certificate was issued on: 31 January 2018
Es wird spätestens ungültig am: / It expires at the latest on: 30 January 2023

Zertifikats-Nr.: / Certificate no.: 6014788.01DS

DEKRA Testing and Certification (Shanghai) Ltd.


Cliff Lin
Zertifizierungsstelle / Certification Office

Prüfzeichen: / Certification mark:


© Integral publication of this certificate is allowed

DEKRA Testing and Certification (Shanghai) Ltd.
3F #250 Jiangchangsan Road Building 16 Headquarter Economy Park Shibei Hi-Tech Park, Zhabei District Shanghai 200436 China
T +86 21 6056 7666 F +86 21 6056 7555 www.dekra-certification.com

TALK WITH CUSTOMERS ON DIFFERENT FAIRS










































WORKING ROOM PICTURES
FOR THE CARGO BARS,CARGO PLANKS AND FITTINGS




















WORKING ROOM PICTURES
FOR THE RATCHET TIE DOWNS, WEBBING SLING















WHERE OUR PRODUCTS USED




























Cargo Bar Series



Cargo Lock Plank Series
Decking Beam Series



Jack Bar Series



A/E/F/O-Track Series

CARGO LOCK PLANK SERIES



Parting Wall Lock with Casting Chuck

Item No.	TYPE	Profile(mm)	L(mm)	Weight(kg)
CLP1001	Heavy	125x30	2400~2700	10
CLP1002	Heavy	120x30	2400~2700	9.6
CLP1003	Light	120x30	2400~2700	8.5
CLP1004	Light	125x30	2100~2400	8.3
CLP1005	Heavy	120x30	2100~2400	9.2
CLP1006	Light	120x30	2100~2400	8.0



Parting Wall Lock with Steel Plate Chuck

Item No.	TYPE	Profile(mm)	L(mm)	Weight(kg)
CLP1101	Heavy	125x30	2400~2700	8.3
CLP1102	Heavy	120x30	2400~2700	8.0
CLP1103	Light	120x30	2400~2700	7.2
CLP1104	Heavy	125x30	2100~2400	7.8
CLP1105	Heavy	120x30	2100~2400	7.6
CLP1106	Light	120x30	2100~2400	6.9
CLP1107	Light	120x30	1990~2510	6.8
CLP1108	Light	120x30	1390~1910	5.8
CLP1109	Heavy	120x30	1900~2400	6.7
CLP1110	Light	120x30	2400~2700	6.5



Integrative Cargo Lock Plank

Item No.	TYPE	Profile(mm)	L(mm)	Weight(kg)
CLP1201	Heavy	120x30	2480	9.2
CLP1202	Light	120x30	2480	8.8
CLP1203	Light	120x30	2480	6.9



Steel Tube Cargo Lock Plank

Item No.	Profile(mm)	L(mm)	Weight(kg)
CLP1301	40x40	1960~2910	6.9
CLP1302	40x40	1900~2800	



CLP0001



CLP0002

Cargo Lock Plank Accessories

Item No.	Weight(kg)
CLP0001	2.6
CLP0002	1.75



Cargo Lock Plank Accessories

Item No.	Weight(kg)
CLP0003	0.05

CARGO BAR SERIES



Steel Tube Cargo Bar

Item No.	D(in)	L(in)	Weight(kg)	Foot Pads
CB1003S	1.5"	89"~104"	4.9	Rubber 103x103mm
CB1004S	1.5"	92.5"~107.5"	5.0	Rubber 103x103mm
CB1005S	1.5"	101"~116"	5.1	Rubber 103x103mm
CB1006S	1.5"	90"~105"	4.9	Rubber 103x103mm



Steel Tube Cargo Bar

Item No.	D(in)	L(in)	Weight(kg)	Foot Pads
CB1101S	1.5"	46"~61"	4.0	Rubber 63x103mm
CB1102S	1.5"	60"~75"	4.4	Rubber 63x103mm
CB1103S	1.5"	89"~104"	5.4	Rubber 63x103mm
CB1104S	1.5"	92.5"~107"	5.6	Rubber 63x103mm
CB1105S	1.5"	101"~116"	5.8	Rubber 63x103mm
CB1106S	1.5"	90"~105"	4.5	Rubber 63x103mm



Steel Tube Cargo Bar

Item No.	D(in)	L(in)	Weight(kg)	Foot Pads
CB1201S	1.5"	46"~61"	4.0	Plastic 63x103mm
CB1202S	1.5"	60"~75"	4.4	Plastic 63x103mm
CB1203S	1.5"	89"~104"	4.4	Plastic 63x103mm
CB1204S	1.5"	92.5"~107"	4.5	Plastic 63x103mm
CB1205S	1.5"	101"~116"	4.7	Plastic 63x103mm
CB1206S	1.5"	97"~112"	4.7	Plastic 63x103mm
CB1207S	1.5"	78.7"~93.7"		Rubber 63x103mm
CB1208S	1.5"	82.7"~97.6"		Rubber 63x103mm
CB1209S	1.5"	90"~105"	4.4	Rubber 63x103mm
CB1210S	1.5"	51.2"~66.1"		Rubber 63x103mm
CB1211S	1.5"	72"~87"		Rubber 63x103mm
CB1212S	1.5"	74.8"~89.8"		Rubber 63x103mm
CB1213S	1.5"	106.3"~121.3"		Rubber 63x103mm
CB1214S	1.5"	118.1"~121.3"		Rubber 63x103mm



2Pieces Steel Tube Buffering Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB1301SH	38	1900~2270	5.5	Plastic 63x103mm
CB1302SH	38	2100~2470	4.7	Plastic 63x103mm
CB1303SH	38	2260~2630	4.8	Plastic 63x103mm
CB1304SH	38	2350~2720	4.9	Plastic 63x103mm
CB1305SH	38	2565~2935	5.0	Plastic 63x103mm
CB1306SH	38	2000~2380	4.6	Plastic 63x103mm



2Pieces Steel Tube Buffering Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB1402SH	42	2100~2470	4.9	Plastic 63x103mm
CB1403SH	42	2260~2630	5.0	Plastic 63x103mm
CB1404SH	42	2350~2720	5.2	Plastic 63x103mm
CB1405SH	42	2565~2935	5.4	Plastic 63x103mm
CB1406SH	42	2420~2790		Plastic 63x103mm



Aluminum Tube Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB1502A	38	2100~2470	4.1	Plastic 63x103mm
CB1503A	38	2260~2630	3.4	Plastic 63x103mm
CB1504A	38	2350~2720	4.3	Plastic 63x103mm
CB1505A	38	2565~2935	4.5	Plastic 63x103mm
CB1506A	38	2270~2640	3.4	Plastic 63x103mm



Aluminum Tube Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB1602A	42	2100~2470	4.2	Plastic 63x103mm
CB1603A	42	2260~2630	4.4	Plastic 63x103mm
CB1604A	42	2350~2720	3.7	Plastic 63x103mm
CB1605A	42	2565~2935	3.9	Plastic 63x103mm



2Pieces Aluminum Tube Buffering Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB1701AH	38	1900~2270	4.2	Plastic 63x103mm
CB1702AH	38	2100~2470	3.5	Plastic 63x103mm
CB1703AH	38	2260~2630	4.4	Plastic 63x103mm
CB1704AH	38	2350~2720	3.7	Plastic 63x103mm
CB1705AH	38	2565~2935	3.8	Plastic 63x103mm
CB1706AH	38	2297~2667	4.5	Plastic 63x103mm
CB1707AH	38	1370~1740		Plastic 63x103mm
CB1708AH	38	1662~2032		Plastic 63x103mm
CB1709AH	38	1360~1730		Plastic 63x103mm



2Pieces Aluminum Tube Buffering Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB1802AH	42	2100~2470	3.8	Plastic 63x103mm
CB1803AH	42	2260~2630	3.9	Plastic 63x103mm
CB1804AH	42	2350~2720	4.0	Plastic 63x103mm
CB1805AH	42	2565~2935	4.1	Plastic 63x103mm
CB1806AH	42	2620~3000	5.1	Plastic 63x103mm
CB1807AH	42	2650~3020	4.2	Plastic 63x103mm
CB1808AH	42	2720~3100	4.2	Plastic 63x103mm
CB1809AH	42	2285~2665	3.9	Plastic 63x103mm
CB1810AH	42	2400~2770	4.0	Plastic 63x103mm
CB1811AH	42	1300~1670	3.2	Plastic 63x103mm
CB1812AH	42	1680~2050	3.5	Plastic 63x103mm
CB1813AH	42	1730~2100	3.5	Plastic 63x103mm
CB1814AH	42	2286~2667		Plastic 63x103mm
CB1815AH	42	1916~2286		Plastic 63x103mm
CB1816AH	42	2000~2380		Plastic 63x103mm
CB1817AH	42	1620~1990		Plastic 63x103mm
CB1818AH	42	1820~2670		Plastic 63x103mm
CB1819AH	42	2300~2670		Plastic 63x103mm
CB1820AH	42	2420~2790		Plastic 63x103mm




2Pieces Aluminum Tube Buffering Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB1901AH	42	2300~2960	4.1	Plastic 63x103mm
CB1902AH	42	2300~3100	5.0	Plastic 63x103mm
CB1903AH	42	1650~2250		Plastic 63x103mm
CB1904AH	42	2300~2990	4.1	Plastic 63x103mm



Steel Tube Telescoping Cargo Bar

Item No.	D(in)	L(in)	Weight(kg)	Foot Pads
CB2001S	1.1"	45"~72"	1.8	Rubber 83x63mm



Air Spring Cargo Bar (Customer's patent)

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB2101S	40	2360~3370	8.0	Plastic 63x103mm
CB2102S	40	1900~2500	6.7	Plastic 63x103mm



Cargo Bar w/Welded Hoops

Item No.	D(in)	L(in)	Weight(kg)	Foot Pads
CB2203S	1.5"	89"~104"	9.0	Plastic 63x103mm



Cargo Bar w/Bolt-on-Hoops

Item No.	D(in)	L(in)	Weight(kg)	Foot Pads
CB2303S	1.5"	89"~104"	10.7	Plastic 63x103mm




2Pieces Aluminum Tube Buffering Cargo Bar

Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB2401AH	42	2300~2960	4.0	Plastic 63x103mm
CB2402AH	42	2300~3100	5.0	Plastic 63x103mm
CB2403AH	42	2300~2990		Plastic 63x103mm



Steel Tube Cargo Bar

Item No.	D(in)	L(in)	Weight(kg)	Foot Pads
CB2501S	1"	40"~70"	2.1	Rubber 78x60mm



Item No.	D(mm)	L(mm)	Weight(kg)	Foot Pads
CB2601AH	42	2300~2975	5.0	Plastic 63x103mm



Item No.	L(mm)
CB2701S	2300~3100



Item No.	D(mm)	L(mm)
CB2801A	42	1397~1600




Item No.	L(mm)
CB2901AH	2294~3009

CARGO BAR SERIES



Replacement Rack & Housing

Item No.	D(mm)	Weight(kg)
CB0001P	38	1.1
CB0002P	42	1.15



Cargo Hoop Sets

Item No.	D(mm)	Weight(kg)
CB0003P	25	5.4



Replacement Rack & Housing

Item No.	D(mm)	Weight(kg)
CB0004P	42	1.15



Replacement Rack & Housing

Item No.	D(mm)	Weight(kg)
CB0005P	42	0.96

Cargo Bar to Use





JACK BAR SERIES



Jack Bar w/Welded Round Tube and Foot Pads

Item No.	D(in)	L(in)	Weight(kg)
JB1001S	1.65"	86"~104"	5.5
JB1002S	1.65"	86"~107"	5.6
JB1003S	1.65"	86"~109"	5.7
JB1004S	1.65"	86"~115"	6.0



Jack Bar w/Welded Square Tube and Bolt on Foot Pads

Item No.	Profile(in)	L(in)	Weight(kg)
JB1101S	1.5" x 1.5"	86"~104"	6.3
JB1102S	1.5" x 1.5"	86"~107"	6.4
JB1103S	1.5" x 1.5"	86"~109"	6.5
JB1104S	1.5" x 1.5"	86"~115"	6.8
JB1105S	1.5" x 1.5"	86"~119"	7.0



Jack Bar w/Welded Square Tube and Foot Pads

Item No.	Profile(in)	L (in)	Weight(kg)
JB1201S	1.5" x 1.5"	86"~104"	5.9
JB1202S	1.5" x 1.5"	86"~107"	6.0
JB1203S	1.5" x 1.5"	86"~109"	6.1
JB1204S	1.5" x 1.5"	86"~115"	6.4



Jack Bar w/to Insert Square Tube and Bolt on Foot Pads

Item No.	Diameter(in)	L (in)	Weight(kg)
JB1301S	1.5" x 1.5"	86"~104"	6.5
JB1302S	1.5" x 1.5"	86"~107"	6.6
JB1303S	1.5" x 1.5"	86"~109"	6.7
JB1304S	1.5" x 1.5"	86"~115"	7.0
JB1305S	1.5"x1.5"	87"~112"	



Folded Jack Bar w/Welded Square Tube and Bolt Foot Pads

Item No.	Profile(in)	L(in)	Weight(kg)
JB1401S	1.5" x 1.5"	87"~116"	7.3



2Pieces Jack Bar w/Welded Square Tube and Double on Foot Pads

Item No.	Profile(in)	L(in)	Weight(kg)
JB1501S	1.5" x 1.5"	87"~108"	7.0
JB1502S	1.5" x 1.5"	84"~113"	7.0
JB1503S	1.5" x 1.5"	90"~120"	7.1



2Pieces Telescope Jack Bar w/Welded Square Tube and Bolt on Foot Pads

Item No.	Profile(in)	L(in)	Weight(kg)
JB1601S	1.5" x 1.5"	80"~118"	10



3Pieces Jack Bar w/Welded Round Tube and Foot Pads

Item No.	D(in)	L(in)	Weight(kg)
JB1701S	1.65"	86"~104"	6.1



Square Tube Jack Bar

Item No.	Profile(mm)	L(mm)	Weight(kg)
JB1801S	35 x 35	1938~2890	6.5



Round Tube Buffering Jack Bar

Item No.	D(in)	L(in)	Weight(kg)
JB1901S	1.65"	86"~107"	6.4



Square Tube Jack Bar

Item No.	Profile(mm)	L(mm)	Weight(kg)
JB2001S	35 x 35	1880~2852	6.2
JB2002S	35 x 35	2185~3000	6.4



Jack Bar w/Welded Hoops

Item No.	D(in)	L(in)	Weight(kg)
JB1002SHP1	1.65"	86"~107"	9.3







Round Shoring Bar

Item No.	D(in)	L(in)	Weight(kg)
SB1001	38(1.5") Steel	2006~2362(79"~93")	5.0
SB1002	38(1.5") Steel	2210~2590(87"~102")	5.4
SB1003	38(1.5") Steel	2311~2946(91"~116")	5.9



Round Shoring Bar

Item No.	D(in)	L(in)	Weight(kg)
SB1101	42 (1.65") Steel	2134~2540 (80"~100")	8.4
SB1102	42 (1.65") Steel	2210~2590 (87"~102")	8.6
SB1103	42 (1.65") Steel	2320~2660 (91"~105")	8.7
SB1104	42 (1.65") Steel	2375~2750 (93.5"~108")	9.0
SB1105	42 (1.65") Steel	2418~2718 (95"~107")	8.8
SB1106	42 (1.65") Steel	2450~2550 (96.5"~100.5")	8.9
SB1107	42 (1.65") Steel	2413~2768 (95"~109")	8.4
SB1108	42 (1.65") Steel	2710~3050 (106"~120")	9.8
SB1109	42 (1.65") Steel	2337~2437 (92"~96")	8.6
SB1110	42 (1.65") Steel	2370~2470 (93.3"~97.2")	8.7
SB1111	42 (1.65") Steel	2337~2437 (92"~96")	8.8
SB1112	42 (1.65") Steel	2385~2765 (93.9"~108.9")	9.2
SB1113	42 (1.65") Steel	2385~2761 (93.9"~108.7")	9.0
SB1114	42 (1.65") Steel	2032~2540 (80"~100")	8.4
SB1115	42 (1.65") Steel	2385~2761 (93.9"~108.7")	9.0
SB1116	42 (1.65") Aluminum	2385~2760 (93.9"~108.7")	4.6
SB1117	42 (1.65") Aluminum	1596~1971 (62.8"~77.6")	3.5
SB1118	42 (1.65") Steel	2290~2746 (90.2"~108.1")	9.1
SB1119	42 (1.65") Steel	2134~2845 (84"~112")	9.3
SB1120	42 (1.65") Steel	2147~2553 (84.5"~100.5")	9.0
SB1121	42 (1.65") Steel	2085~2485 (82.1"~97.8")	8.4
SB1122	42(1.65")Steel	2280~3170(89.7"~124.8")	9.0
SB1123	42(1.65")Steel	2085~2485(82.1"~97.8")	8.4
SB1124	42(1.65")Steel	2350~2820(92.52"~111.02")	
SB1125	42(1.65")Steel	2505~2610(98.6"~102.8")	8.4
SB1126	42(1.65")Steel	2440~2520(96.1"~99.2")	7.5
SB1127	42(1.65")Steel	2193~2650(86.3"~104.3")	7.2
SB1128	42(1.65")Steel	2360~2740(92.9"~107.9")	8.3
SB1129	42(1.65")Aluminum	1375~1750(54.1"~68.9")	3.5
SB1130	42(1.65")Steel	2000~2406(78.7"~94.7")	7.4
SB1131	42(1.65")Steel	2360~2766(92.9"~108.9")	8.4
SB1132	42(1.65")Steel	2172~2628(85.5"~103.5")	7.6
SB1133	42(1.65")Steel	1545~1925(60.8"~75.8")	2.4
SB1134	42(1.65")Aluminum	2050~2450(80.7"~96.5")	3.9
SB1135	42(1.65")Steel	2210~2510(87"~98.8")	7.6
SB1136	42(1.65")Aluminum	1520~1900(59.8"~74.8")	2.4
SB1137	42(1.65")Aluminum	1820~2200(71.7"~86.6")	2.7
SB1138	42(1.65") Aluminum	2134~2509(84"~98.8")	3.0
SB1139	42(1.65") Steel	2443~2823(96.2"~111.1")	6.5
SB1140	42(1.65") Steel	2005~2617(78.9"~103")	7.5
SB1141	42(1.65") Steel	2090~2470(82.3"~97.2")	



Square Shoring Bar

Item No.	Profile(in)	L(in)	Weight(kg)
SB1201	38x38 (1.5"x1.5") Steel	2006~2362 (79"~93")	6.0
SB1202	38x38 (1.5"x1.5") Steel	2234~2590 (87"~102")	6.3
SB1203	38x38 (1.5"x1.5") Steel	2311~2946 (91"~116")	6.8



Square Shoring Bar

Item No.	Profile(mm)	L(mm)	Weight(kg)
SB1301	50x50 (2"x2") Steel	2320~2660 (91.3"~104.7")	10.9
SB1302	50x50 (2"x2") Steel	2345~2685 (92.3"~105.7")	11.0
SB1303	50x50 (2"x2") Steel	2413~2753 (95"~108.4")	11.1
SB1304	50x50 (2"x2") Steel	2210~2720 (87"~107.08")	



Round Shoring Bar

Item No.	D(mm)	L(mm)	
SB1401	42mm	3100mm	1 FIXED ENDPLUG
SB1402	42mm	2620~2720mm	2 FIXED ENDPLUGS
SB1403	42mm	2670~2770mm	2 FIXED ENDPLUGS



Steel Shoring Bar

Item No.	D(mm)	L(in)
SB1501	42mm	2890~2990(115"~119")
SB1502	42mm	2660~2760(106"~110")
SB1503	42mm	2890~2990(115"~119")



Round Shoring Bar
With Two Handles

Item No.	D(mm)	L(in)	Weight(kg)
SB1601	38(1.5")Steel	2210~2747	7.9
SB1602	38(1.5")Steel	2190~2570	7.9



Steel Shoring Bar
With Handle

Item No.	D(mm)	L(mm)
SB1701	42mm	2320



Round Shoring Bar
With Rubber Protector

Item No.	D(mm)	L(mm)	Material	Remark
SB1801	42mm	2385~2760	Aluminum	WITH RUBBER PROTECTOR
SB1802	42mm	1800~2170	Steel	WITH RUBBER PROTECTOR
SB1803	42mm	2350~2730	Aluminum	WITH RUBBER PROTECTOR
SB1804	42mm	2350~2730	Steel	NO RUBBER PROTECTOR
SB1805	42mm	1800~2170	Steel	NO RUBBER PROTECTOR
SB1806	42mm	1500~1870	Steel	NO RUBBER PROTECTOR
SB1807	42mm	1200~1570	Steel	NO RUBBER PROTECTOR
SB1808	42mm	1700~2080	Aluminum	WITH RUBBER PROTECTOR
SB1809	42mm	1500~1870	Steel	WITH RUBBER PROTECTOR
SB1810	42mm	1200~1570	Steel	WITH RUBBER PROTECTOR
SB1811	42mm	2350~2730	Aluminum	NO RUBBER PROTECTOR
SB1812	42mm	2350~2730	Aluminum	WITH RUBBER PROTECTOR
SB1813	42mm	1800~2170	Aluminum	NO RUBBER PROTECTOR
SB1814	42mm	1800~2170	Aluminum	WITH RUBBER PROTECTOR
SB1815	42mm	1500~1870	Aluminum	NO RUBBER PROTECTOR
SB1816	42mm	1500~1870	Aluminum	WITH RUBBER PROTECTOR
SB1817	42mm	1200~1570	Aluminum	NO RUBBER PROTECTOR
SB1818	42mm	1200~1570	Aluminum	WITH RUBBER PROTECTOR
SB1819	42mm	2020~2400	Aluminum	NO RUBBER PROTECTOR
SB1820	42mm	2380~2760	Aluminum	NO RUBBER PROTECTOR
SB1821	42mm	2020~2400	Steel	NO RUBBER PROTECTOR
SB1822	42mm	2380~2760	Steel	NO RUBBER PROTECTOR




Aluminum Decking Beams

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
DB1001A	2184~2464 (86"~97")	7.4	2000
DB1002A	2310~2590 (91"~102")	7.5	2000
DB1003A	2336~2616 (92"~103")	7.5	2000
DB1004A	2413~2692 (95"~106")	7.6	2000
DB1005A	1900~2180 (74.8"~85.8")		2000
DB1006A	2159~2438.4 (85"~96")		2000
DB1007A	2400~2670 (94.5"~105")	7.7	2000
DB1013A	1840~2120 (72.4"~83.5")		2000
DB1014A	2344~2626 (92.3"~103.4")		2000




Heavy Duty Aluminum Decking Beams

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
DB1001AH	2184~2464 (86"~97")	8.3	3000
DB1002AH	2310~2590 (91"~102")	8.4	3000
DB1003AH	2336~2616 (92"~103")	8.6	3000
DB1004AH	2413~2692 (95"~106")	8.9	3000
DB1005AH	2400~2670 (94.5"~105.1")	8.8	3000
DB1006AH	2359~2639 (92.9"~103.9")		3000
DB1007AH	2344~2626 (92.3"~103.4")		3000




Steel Decking Beams

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
DB1001S	2184~2464 (86"~97")	11.1	3000
DB1002S	2310~2590 (91"~102")	11.6	3000
DB1003S	2336~2616 (92"~103")	11.7	3000
DB1004S	2270~2550 (89.4"~100.4")		3000




ALUMINUM DECKING BEAMS

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
DB1101A	2380~2670 (93.7"~105")	7.3	2200




Aluminum Decking Beams

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
DB1201A	2330~2610 (91"~102")	11.3	3000




Aluminum Decking Beam

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
DB1301A	2380~2670(93.7"~105")	7.3	2200




Aluminum Decking Beam


Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
DB1401A	2358~2473(94"~98")	6.9	1100
DB1402A	2368~2483(93.2"~97.8")	6.9	1100





Aluminum Decking Beam

Item No.	L(mm)	Weight(kg)	Work Load Limit(lbs)
DB1501A	2420~2760	6.6	2200




Aluminum Decking Beam

Item No.	L(mm)	Weight(kg)	Work Load Limit(lbs)
DB1601A	2440~2720		2200






Aluminum Decking Beam

Item No.	L(mm)	Weight(kg)	Work Load Limit(lbs)
DB1701A	2310~2530	7.5	1000
DB1702A	2311~2591		1000




Extra Heavy Duty Decking Beam

Item No.	L(inch)	Weight(kg)	Work Load Limit(lbs)
DB1801AH	95~106	15.0	3000

Aluminum Decking Beam

Item No.	L(mm)	Weight(kg)	Work Load Limit(lbs)
DB2001A	1613~1893		2000
DB2002A	1790~2070		2000
DB2003A	2020~2300		2000
DB2004A	2170~2450		2000
DB2005A	2270~2550		2000




Aluminum Garment Beam

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
GB1001A	2293~2350 (90.25"~92.5")	6.0	2000
GB1002A	2483~2540 (97.75"~100")	6.4	2000



Steel Shoring Beam

Item No.	L(in)	Weight(kg)	Work Load Limit(lbs)
GB1001S	2286~2406 (90"~94.7")	9.0	2000
GB1002S	2492~2612 (98"~102.8")	9.7	2000



Decking Beam Head

Item No.	Specification(mm)	Weight(kg)	Thickness(mm)
DB0001	317x72.5x55.5	1.48	2.5
DB0002	317x72.5x55.5	1.75	3.0
DB0003	317x72.5x55.5	2.3	4.0



Decking Beam Head

Item No.	Specification(mm)	Weight(kg)	Thickness(mm)
DB0005	290x72.5x54	1.93	3.0



Decking Beam Head

Item No.	Specification(mm)	Weight(kg)	Thickness(mm)
DB0006			



Decking Beam Head

Item No.	Specification(mm)	Weight(kg)	Thickness(mm)
DB0007			




GB0001 GB0002

Beam Socket

Item No.	Specification(mm)	Weight(kg)
GB0001	110x88x49	0.41
GB0002	135x88x49	0.49



E-Track Sleeve

Item No.	Specification(mm)	Weight(kg)
DB0004	114x101.6x94	0.68

Decking Beam to Use







Steel Garment Rail

Item No.	DIA(mm)	L(mm)	Weight(kg)
GB1101S	Φ36MM/□16MM	2420~2510	6.7
GB1102S	Φ36MM/□16MM	2474~2564	6.8
GB1103S	Φ36MM/□16MM	2420~2510	




Steel Garment Rail with Steel End

Item No.	DIA(mm)	L(mm)	Weight(kg)
GB1201S	Φ36MM/□16MM	2420–2510	7.2
GB1202S	Φ36MM/□16MM	2474–2564	7.8


Steel Garment Rail

Item No.	DIA(mm)	L(mm)	Weight(kg)
GB1301S	Φ36MM/□12MM	2470–2520	7.5



Steel Garment Rail

Item No.	DIA(mm)	L(mm)	Weight(kg)
GB1401S	Φ35MM/□16MM	2420–2510	7.0
GB1402S	Φ35MM/□16MM	2474–2564	7.5



Steel Garment Rail

Item No.	DIA(mm)	L(mm)	Weight(kg)
GB1501S	Φ36MM/□16MM	2400	7.2




Steel Garment Rail

Item No.	DIA(mm)	L(mm)	Weight(kg)
GB1601S	Φ36MM/□16MM	2420~2520	8.1




Steel Garment Rail

Item No.	DIA(mm)	L(mm)	Weight(kg)
GB1701S	Φ34MM/□16MM	2450~2580	7.3




A-Track Horizontal

Item No.	Specification	Weight(kg)
TR1001S	galvanized	7.0
TR1002S	powder coated	7.1
TR1003A	aluminum alloy	




C: 2.5mm、2.75mm、3.0mm



E-Track Horizontal

Item No.	Specification	Weight(kg)
TR1101S	galvanized	6.9
TR1102S	powder coated	7.0
TR1103A	aluminum alloy	




C: 2.5mm、2.75mm、3.0mm L:5ft、8ft、10ft




F-Track Horizontal

Item No.	Specification	Weight(kg)
TR1201S	galvanized	7.0
TR1202S	powder coated	7.1
TR1203A	aluminum alloy	2.8




Steel C: 2.5mm、2.75mm、3.0mm Aluminum C：3.0mm




F-Track Horizontal Strengthening Rib

Item No.	Specification	Weight(kg)
TR1301A	aluminum alloy	3.0




C: 3.0mm




EO-Track

Item No.	Specification	Weight(kg)
TR1401S	galvanized	6.6
TR1402S	powder coated	6.7
TR1403A	aluminum alloy	2.8
TR1404A	aluminum alloy	2.7




Steel C: 2.5mm Aluminum C: 3.0mm




A-Track Vertical

Item No.	Specification	Weight(kg)
TR1501S	galvanized	5.0
TR1502S	powder coated	5.1




C: 2.5mm、2.75mm、3.0mm L:4ft、5ft、8ft、10ft

A/E/F/O-TRACK SERIES




E-Track Vertical

Item No.	Specification	Weight(kg)
TR1601S	galvanized	5.0
TR1602S	powder coated	5.1




C: 2.5mm、2.75mm、3.0mm L:4ft、5ft、8ft、10ft



F-Track Vertical

Item No.	Specification	Weight(kg)
TR1701S	galvanized	5.0
TR1702S	powder coated	5.1




C: 2.5mm、2.75mm、3.0mm L:4ft、5ft、10ft



Keyhole Track

Item No.	Specification	Weight(kg)
TR1801S	galvanized	6.4
TR1802S	powder coated	6.5





C: 2.3mm



Q-Track


Item No.	Specification	Weight(kg)
TR1901S	galvanized	4.9
TR1902S	stainless steel	4.0






O-Track

Item No.	Specification	Weight(kg)
TR2001S	galvanized	3.5
TR2002S	powder coated	3.6




C: 2.0mm



O-Track


Item No.	Specification	Weight(kg)
TR2101S	galvanized 2990	4.4
TR2102A	aluminum alloy 2990	1.8
TR2103A	aluminum alloy 2990	2.2




Steel C: 5.0mm Aluminum C: 5.0mm，6.0mm




Item No.	Specification	Weight(kg)
TR3601S	Steel,Galvanized	12.6



TR3601S, C: 2.5mm,2.75mm,3.0mm




Item No.	Specification	Weight(kg)
TR3701S	Steel,Galvanized	6.4



Steel C：2.5mm、2.75mm、3.0mm
Stainless steel C：2.0mm




Item No.	Specification	Weight(kg)
TR3801S	galvanized	2.8
TR3802S	stainless steel	2.9






Item No.	Specification	Weight(kg)
TR3901S	galvanized 3.0mm	






Item No.	Specification	Weight(kg)
TR3902S	galvanized 3.0mm	






Item No.	Specification	Weight(kg)
TR4001S	Galvanized	4.4



Steel C：2.5mm




Item No.	Specification	Weight(kg)
TR4101S	Galvanized	4.6





Item No.	Specification	Material
TR4201S	Galvanized	Q-235
TR4202S	Stainless Steel	S304/2B






Item No.	Specification	Weight(kg)
TR4301S	Galvanized	0.214



Item No.	Specification	Weight(kg)
TR4401S	Galvanized	0.434





Item No.	Specification	Weight(kg)
TR4501S	Galvanized	4.2






Item No.	Specification	Weight(kg)
TR4601S	Galvanized	7.1






Item No.	Specification	Length(mm)
TR4801S	galvanized 2.5mm	3208






Item No.	Specification	Length(mm)
TR4901S	stainless steel 430	3040








Item No.	Specification	Length(inch)
TR5101S	galvanized	3
TR5201S	powder coated	3






Item No.	Specification	Length(inch)
TR5301S	galvanized	24 or 60
TR5401S	powder coated	24 or 60




Item No.	Specification
TR5501S	galvanized/powder coated





Item No.	Specification	Length(mm)
TR5601A	aluminum alloy	3048





Ø4.5
Ø8
Ø6.5
Ø4.5
Ø8
Ø6.5
Ø4.5
Ø8
Ø6.5



L-Track


Item No.	Specification	Weight(kg)
TR2401A	aluminum alloy	0.222





L-Track


Item No.	Specification	Weight(kg)
TR2501A	aluminum alloy	0.612





L-Track


Item No.	Specification	Weight(kg)
TR2601A	aluminum alloy	2.11





L-Track


Item No.	Specification	Weight(kg)
TR2701A	aluminum alloy	1.42






L-Track


Item No.	Specification	Weight(kg)
TR2801A	aluminum alloy	2.5





L-Track


Item No.	Specification	Weight(kg)
TR2901A	aluminum alloy	1.9






L-Track


Item No.	Specification	Weight(kg)
TR3001A	aluminum alloy	2.19






L-Track

Item No.	Specification	Weight(kg)
TR3101A	aluminum alloy	2.1
TR3102A	aluminum alloy	2.5




L: 1960mm、2360mm



L-Track

Item No.	Specification	Weight(kg)
TR3201A	aluminum alloy	3.9
TR3202A	aluminum alloy	4.6




L: 1960mm、2360mm




Aluminum Bar Track

Item No.	Specification	Weight(kg)
TR3301A	3000	4.3




L: 3000mm、6000mm



L-Track

Item No.	Specification	Weight(kg)
TR3401A	495mm	1.01




L: 1960mm、2360mm



L-Track


Item No.	Specification	Weight(kg)
TR3501A	aluminum alloy	1.5



L: 3000mm




Item No.	Specification	Weight(kg)
TR4701A	aluminum alloy	






Item No.	Specification	Profile(mm)
TR5801A	aluminum alloy	31.5 × 46.5







Item No.	Specification	Profile(mm)
TR5901A	aluminum alloy	30.5 × 64





Item No.	Specification	Weight(kg)
TR6101A	aluminum alloy	





L-Track


Item No.	Specification	Weight(kg)
TR6301A	aluminum alloy	



Item No.	Specification	Length(mm)
TR6501A	aluminum alloy	3000




Item No.	Specification	Length(mm)
TR6601A	aluminum alloy	3000




Item No.	Specification	Length(mm)
TR6701A	aluminum alloy	4140/4030




Item No.	Specification	Length(inch)
TR7001A	aluminum alloy	51"




ALUMINUM PROFILE




Item No.	Size(mm)
BXBF001	25x120mm




Item No.	Size(mm)
BXBF002	25x100mm/25x150mm




Item No.	Size(mm)
BXBF003	25x100mm




Item No.	Size(mm)
BXBF004	



Item No.	Size(mm)
BXBF005	25x100mmx1.4mm




BXBF006




BXBF007

INTERNAL TRACK FITTING


TRACK AND FITTING ASSEMBLY SET




EBTF001
Double stud fitting W/O ring
B/S: 2700KG
Weight: 0.135KG



EBTF002
Double stud fitting W/pear ring
B/S: 2700KG
Weight: 0.17KG




EBTF003
Single stud fitting W/O ring
B/S: 1500KG
Weight: 0.0475KG




EBTF004
Series E/A fitting W/O ring
B/S: 2700KG
Weight: 0.19KG




EBTF005
Series E/A fitting W/O ring
B/S: 2700KG
Weight: 0.19KG



EBTF006
Series E/A spring fitting
B/S: 2000KG
Weight: 0.093KG



EBTF007
Series E/A fitting W/Triangle ring
B/S: 1850KG
Weight: 0.15KG



EBTF008
Series E/A fitting W/O ring
B/S: 1850KG
Weight: 0.15KG




EBTF009
Single stud fitting W/O ring, with bracket
B/S: 1500KG
Weight: 0.067KG



EBTF010



EBTF011



EBTF012




EBTF013



EBTF014



EBTF015



EBTF016



EBTF017



EBTF018



EBTF019




EBTF020




EBTF022
EBTF023



EBTF024



EBTF025




EBTF026



EBTF027



EBTF028



EBTF029



EBTF030



EBTF031



EBTF032







EBTF022
EBTF023

CURTAIN TENSIONING POLE

CURTAIN TENSIONING POLE



Item No.	D(in)	L(in)	Weight(kg)
CTP1001	27MM	3300MM	1.96kg



Item No.	D(in)	L(in)	Weight(kg)
CTP2001	34MM	3300MM	3.48kg



Item No.	D(in)	L(in)	Weight(kg)
CTP3001	34MM	3500MM	3.48kg




Item No.	D(in)	L(in)	Weight(kg)
CTP4001	35MM	3300MM	3.95kg

ACCESSORIES



Plastic Foot Pads
EBAC001 63x103xΦ22 0.35kg
EBAC002 63x103xΦ26 0.38kg



Rubber Foot Pads
EBAC004 95x95xΦ21 0.40kg
EBAC005 95x95xΦ24 0.42kg
EBAC006 95x95xΦ28 0.45kg



Rubber Foot Pads
EBAC007 95x95 0.30kg



Rubber Foot Pads
EBAC008 95x95 0.30kg



Rubber Foot Pads
EBAC009 63x103xΦ18 0.33kg
EBAC010 63x103xΦ21 0.36kg
EBAC011 63x103xΦ28 0.41kg




Sling Hook
EBAC012 3" 1.05kg
EBAC013 4" 2.05kg

ACCESSORIES



Steel Corner Protector
EBAC014 6"x4" 0.55kg



Steel Corner Protector W/Rubber Backing
EBAC015 6"x4" 0.73kg




Steel Corner Protector Interlude Type
EBAC016 6"x4" 0.55kg



Steel Corner Protector Interlude Type
EBAC017 6"x4" 0.55kg



Steel Chain Protector
EBAC018 4"x4" 0.40kg



Steel Corner Protector
EBAC019 6"x4" 0.51kg



Cargo Bar holder
EBAC020



Tube Bracket
EBAC021 Powder Coated Φ42x570 1.6kg
EBAC022 Powder Coated Φ42x800 2.1kg



Ladder For Truck Galvanized
EBAC023 650x400 9.5kg



Ladder For Truck Powder Coated
EBAC024 850x400 11.5kg



Car Stop Bends Tube
EBAC025 515x110 4.0kg



Car Stop Straight Tube
EBAC026 520x115 4.3kg

ACCESSORIES



Adjustable Mudguard Support
EBAC027 Galvanized Φ42 0.5kg
EBAC028 Powder Coated Φ42 0.5kg



Fixed Rack For Connection Tube
EBAC029 Galvanized Φ42 0.768kg



Car Locker
EBAC030



EBAC044



EBAC045 Hot Deep Galvanized Φ42×870 2.4KG



EBAC063



EBAC031 Φ42X580MM
EBAC032 Φ42X750MM
EBAC040 Φ42X700MM
EBAC041 Φ42X540MM



EBAC033



EBAC034



EBAC069




EBAC070 Powder Coated Φ42×665mm 1.8KG
EBAC071 Powder Coated Φ42×565mm 1.64KG



OEM026




EBAC035



EBAC036



EBAC037




EBAC072



EBAC073



EBAC074




EBAC038 Φ42X800MM
EBAC042 Φ42X540MM



EBAC039



EBAC043



EBAC075




EBAC077




EBAC085

HONEST PERSONHOOD, STEADFAST WORK, PIONEERING SPIRIT, PERFECT PURSUING


ACCESSORIES



EBAC086



EBAC095




EBAC096



EBAC097




EBAC099



EBAC100



EBAC102



EBAC103



BXCP106







RATCHET TIE DOWN SERIES







25MM RATCHET TIE DOWN



ITEM: EB25001
BS:800KGS/1760LBS
SIZE:1"



ITEM: EB25002
BS:800KGS/1760LBS
SIZE:1"



ITEM: EB25003
BS:800KGS/1760LBS
SIZE:1"



ITEM: EB25004
BS:750KGS/1650LBS
SIZE:1"



ITEM: EB25005
BS:750KGS/1650LBS
SIZE:1"



ITEM: EB25006
BS:750KGS/1650LBS
SIZE:1"



ITEM: EB25007
BS:1500KGS
SIZE:1–1/16"



ITEM: EB25008
BS:1500KGS
SIZE:1–1/16"



ITEM: EB25009
BS:750KGS/1650LBS
SIZE:1"



ITEM: EB25010
BS:1500KGS
SIZE:1–1/4"



ITEM: EB25011
BS:1500KGS
SIZE:1–1/4"



ITEM: EB25012
BS:1500KGS
SIZE:1–1/4"



ITEM: EB25013
BS:600KGS
SIZE:1"



ITEM: EB25014
BS:250KGS–400KGS
SIZE:1"



ITEM: EB25015
BS:600KGS
SIZE:1"



ITEM: EB25016
BS:600KGS
SIZE:1"



ITEM: EB25017
BS:600KGS
SIZE:1"



ITEM: EB25018
BS:750KGS
SIZE: 1"



ITEM: EB25019
BS:750KGS
SIZE:1"



ITEM: EB25020
BS:1500KGS
SIZE: 1–1/4"



ITEM: EB25021
BS:1500KGS
SIZE: 1–1/4"



ITEM: EB25022
BS:1500KGS
SIZE: 1–1/4"



ITEM: EB25023
BS:750KGS
SIZE:1"



ITEM: EB25024
BS:600KGS
SIZE: 1”



ITEM:EB25025
BS:750KGS
SIZE:1”



ITEM:EB25026
BS:750KGS
SIZE:1”



ITEM:EB25027
BS:750KGS
SIZE:1”



ITEM: EB25028
BS:1500 KGS
SIZE:1–1/4"



ITEM:EB25029
BS:1500KGS
SIZE:1–1/4"



ITEM:EB25030
BS:600KGS
SIZE:1"



ITEM:EB25031
BS:750KGS
SIZE:1”



ITEM: EB25032
BS:750KGS
SIZE:1"



ITEM: EB25033
BS:750KGS
SIZE:1"



ITEM: EB25034
BS:750KGS
SIZE:1"



ITEM: EB25035
BS:750KGS
SIZE:1"



ITEM:EB25036
BS:750KGS
SIZE:1"



ITEM: EB25037
BS:750KGS
SIZE:1"



ITEM: EB25038
BS:750KGS
SIZE:1"



ITEM: EB25039
BS:750KGS
SIZE:1"



ITEM: EB25040
BS:750KGS
SIZE:1"



ITEM: EB25041
BS:750KGS
SIZE:1"



ITEM: EB25042
BS:1500KGS
SIZE:1–1/4"



ITEM: EB25043
BS:1500KGS
SIZE:1–1/4"



ITEM: EB25044
BS:1500KGS
SIZE:1–1/4"



ITEM: EB25045
BS:600KGS
SIZE:1"



ITEM: EB25046
BS: 250KGS/550LBS
SIZE: 1"



ITEM: EB25047
BS: 250KG–600KG
SIZE: 1"

35MM RATCHET TIE DOWN



ITEM:EB35001
BS:900KGS
SIZE:1.5"



ITEM:EB35002
BS:2000KGS
SIZE:1.5"



ITEM:EB35003
BS:3000KGS
SIZE:1.5"



ITEM:EB35004
BS:3000KGS
SIZE:1.5"



ITEM:EB35005
BS:3000KGS
SIZE:1.5"



ITEM:EB35006
BS:2000KGS
SIZE:1.5"



ITEM:EB35007
SIZE:1.5"



ITEM:EB35008
SIZE:1.5"



ITEM:EB35009
BS: 900KG/1980LBS
SIZE: 1.5"





RATCHET TIE DOWN TO USE

50MM RATCHET TIE DOWN



ITEM:EB50001
BS:2000KGS
SIZE:2"



ITEM:EB50002
BS:2000KGS
SIZE:2"



ITEM:EB50003
BS:2000KGS
SIZE:2"



ITEM:EB50004
BS:1100KG/3300LBS
SIZE:2"



ITEM:EB50005
BS:2000KG/4400LBS
SIZE:2"



ITEM:EB50006
BS:2000KG/4400LBS
SIZE:2"



ITEM:EB50007
BS:2000KGS
SIZE:2"




ITEM:EB50008
BS:4000KGS,5000KGS
SIZE:2"



ITEM:EB50009
BS:4000KGS,5000KGS
SIZE:2"



ITEM:EB50010
BS:4000KGS,5000KGS
SIZE:2"



ITEM:EB50011
BS: 5000KGS
SIZE:2"



ITEM:EB50012
BS: 10000LBS
SIZE:2"



ITEM:EB50013
BS: 10000LBS



ITEM:EB50014
BS: 10000LBS



ITEM:EB50015
BS: 10000LBS



ITEM:EB50016
BS: 10000LBS



ITEM:EB50017
BS:4000KGS,5000KGS



ITEM:EB50018
BS:4000KGS,5000KGS



ITEM:EB50019
BS:450KGS,800KGS



ITEM:EB50020
BS: 800KGS



ITEM:EB50021
BS:4000KGS,5000KGS



ITEM:EB50022
BS: 10000LBS



ITEM:EB50023
BS: 5000KGS



ITEM:EB50024
BS: 5000KGS



ITEM:EB50025
BS:4000KGS,5000KGS



ITEM:EB50026
BS: 10000LBS



ITEM:EB50027
BS:4000KGS,5000KGS



ITEM: EB50028
BS: 4000KGS, 4500KGS, 5000KGS



ITEM:EB50029
BS: 2000KGS




ITEM:EB50030
BS: 4000KGS, 4500KGS, 5000KGS



ITEM:EB50031



ITEM:EB50032



ITEM:EB50033



ITEM:EB50034



ITEM:EB50035



ITEM: EB50036




ITEM:EB50037



ITEM:EB50038



ITEM:EB50039



ITEM: EB50040



ITEM:EB50041




ITEM:EB50042




ITEM:EB50043



ITEM: EB50044



ITEM:EB50045



ITEM:EB50046



ITEM:EB50047



ITEM: EB50048



ITEM:EB50049



ITEM:EB50050



ITEM:EB50051



ITEM: EB50052




ITEM: EB50053

NEW ITEMS COMING SOON . . .









RATCHET TIE DOWN TO USE

75&100MM RATCHET TIE DOWN



ITEM	BS(LBS)
EB75001	15000,16200,16500
EB10001	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75002	15000,16200,16500
EB10002	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75003	15000,16200,16500
EB10003	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75004	15000,16200,16500
EB10004	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75005	15000,16200,16500
EB10005	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75006	15000,16200,16500
EB10006	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75007	15000,16200,16500
EB10007	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75008	15000,16200,16500
EB10008	15000,16200,16500 18000,20000,22000



ITEM	BS(LBS)
EB75009	15000,16200,16500
EB10009	15000,16200,16500 18000,20000,22000



ITEM	BS(KGS)
EB75010	6800,10000
EB10010	10000




ITEM	BS(LBS)
EB10011	28800

NEW ITEMS COMING SOON . . .

STRAP ACCESSORIES



ITEM: EBTR001
SIZE: 2"




ITEM: EBTR002
SIZE: 4"



ITEM: EBTR003
SIZE: 2"



ITEM: EBTR004
SIZE: 2"



ITEM: EBTR005
SIZE: 25MM



ITEM: EBTR006
SIZE: 50MM



ITEM: EBTR010
SIZE:150MM



ITEM: EBTR014



ITEM: EBTR015



ITEM:EBTR021



ITEM:EBTR022



ITEM:EBTR023

STRAP ACCESSORIES



ITEM: EBTR007
SIZE: 135MM



ITEM: EBTR008
SIZE: 135MM



ITEM: EBTR009
SIZE:300MM



ITEM: EBTR011



ITEM: EBTR012




ITEM: EBTR013



ITEM: EBTR016




ITEM: EBTR017



ITEM: EBTR018



ITEM: EBTR019



ITEM: EBTR020




ITEM: EBTR024



ITEM: EBTR025



ITEM: EBTR027



ITEM: EBTR028

NEW ITEMS COMING SOON . . .

RUBBER STRAP





Made of natural rubber and EPDM.
Size: 9", 15" ,21", 31", 41"

ANTI-SLIP PAD



NEW ITEMS COMING SOON . . .

TOW STRAP



ITEM:EBTS001
WIDTH:1",1.5", 2 ",3 " ,4 ",5", 6"
BS:1000KGS–20000KGS



ITEM:EBTS002
BS:1750LBS



ITEM:EBTS003
BS:10000LBS, 11000LBS



ITEM:EBTS004
BS:10000LBS, 11000LB



ITEM:EBTS005
BS:10000LBS



ITEM:EBTS006
BS:10000LBS



ITEM:EBTS007
BS:10000LBS, 11000LBS



ITEM:EBTS008
BS:10000LBS, 11000LBS



ITEM:EBTS009
BS:20000LBS, 22000LBS



ITEM:EBTS010
BS:19600LBS, 39200LBS
27000LBS, 52000LBS



ITEM:EBTS011
BS:11000LBS, 12000LBS



ITEM:EBTS012
BS:10000LBS



ITEM:EBTS013
BS: 7500–125000LBS



FLAT WEBBING SLING

Technical specifications
- Color coded according to EN 1492-1:2000
- Each sling is packed in plastic with CE declaration of confirmity.





Webbing width(mm) Single ply	Colour coded according to EN 1492-1	Working Load Limit with 1 webbing sling					Working Load Limit with 2 webbing sling			
		Straight life	Choked				Straight life up to 45	Choked life up to 45	Staight life 40-60	Choked life 45-60
										
		1.0	0.8	2.0	1.4	1.0	1.4	1.12	1.0	0.8
30	WLL 1T	1.000	800	2.000	1.400	1.000	1.400	1.120	1.000	800
60	WLL 2T	2.000	1.600	4.000	2.800	2.000	2.800	2.240	2.000	1.600
90	WLL 3T	3.000	2.400	6.000	4.200	3.000	4.200	3.360	3.000	2.400
120	WLL 4T	4.000	3.200	8.000	5.600	4.000	5.600	4.480	4.000	3.200
150	WLL 5T	5.000	4.000	10.000	7.000	5.000	7.000	5.600	5.000	4.000
180	WLL 6T	6.000	4.800	12.000	8.400	6.000	8.400	6.720	6.000	4.800
240	WLL 8T	8.000	6.400	16.000	11.200	8.000	11.200	8.960	8.000	6.400
240	WLL 10T	10.000	8.000	20.000	14.000	10.000	14.000	11.200	10.000	8.000

	1.Flat eye
	2.Reversed eye
	3.Folded eye 1/2 width from 1 side
	4.Folded eye 1/2 width from 2 side
	5.Folded eye 1/3 width

- ◆100%high tenacity polyester
- ◆Single ply or double ply
- ◆With reinforced lifting eyes
- ◆Low elongation
- ◆Length available:1m to 10m
- ◆Safely factor available :5:1 6:1 7:1
- ◆According to EN 1492-1:2000

Chemical Resistance Information Chart

material	acids	alkalis	ethers	aldehydes	alcohols	oils	organic solvents	water and seawater
polyester	ok	no	no	no	no	ok	ok	ok

ROUND WEBBING SLING

Characteristics
- Low elongation.
- Extremely wear-resistance.






Colour	Colourcoded according to EN 1492-1	Working Load Limit with 1 webbing sling							Working Load Limit with 2 webbing sling			
		Straight life	Choked life	β					Straight life up to 45	Choked life up to 45	Staight life 40-60	Choked life 45-60
				0-7	7-45	45-60	up to 45	45-60				
		1.0	0.8	2.0	1.4	1.0	0.7	0.5	1.4	1.12	1.0	0.8
Purple	WLL 1T	1.000	800	2.000	1.400	1.000	700	500	1.400	1.120	1.000	800
Green	WLL 2T	2.000	1.600	4.000	2.800	2.000	1.400	1.000	2.800	2.240	2.000	1.600
yellow	WLL 3T	3.000	2.400	6.000	4.200	3.000	2.100	1.500	4.200	3.360	3.000	2.400
Grey	WLL 4T	4.000	3.200	8.000	5.600	4.000	2.800	2.000	5.600	4.480	4.000	3.200
Red	WLL 5T	5.000	4.000	10.000	7.000	5.000	3.500	2.500	7.000	5.600	5.000	4.000
Brown	WLL 6T	6.000	4.800	12.000	8.400	6.000	4.200	3.000	8.400	6.720	6.000	4.800
Blue	WLL 8T	8.000	6.400	16.000	11.200	8.000	5.600	4.000	11.200	8.960	8.000	6.400
Orange	WLL 10T	10.000	8.000	20.000	14.000	10.000	7.000	5.000	14.000	11.200	10.000	8.000
Orange	WLL 12T	12.000	9.600	24.000	16.800	12.000	8.400	6.000	16.800	13.440	12.000	9.600

- ◆100%high tenacity polyester of out sleeve and inner core
- ◆With two ply woven heavy duty out sleeve
- ◆Low elongation
- ◆Each stripe is equal to 1 ton capacity
- ◆Effective working length available:1m to 10m
- ◆Safety factor available:6:1 7:1
- ◆According to EN 1492-2:2000



RATCHET BUCKLE

A: BAND WIDTH(MM)
B: HEIGHT(MM)
C: ARM LENGTH(MM)





EBRB001
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB002
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB003
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB004
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB005
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB006
A=32 B=40 C=126
BS:1500KG/3300LBS



EBRB007
A=28 B=40 C=135
BS:1500KG/3300LBS



EBRB008
A=28 B=45 C=120
BS:1500KG/3300LBS



EBRB009
A=28 B=45 C=126
BS:1500KG/3300LBS



EBRB010
A=28 B=45 C=130
BS:1500KG/3300LBS



EBRB011
A=34 B=45 C=155
BS:1500KG/3300LBS



EBRB012
A=34 B=45 C=155
BS:1500KG/3300LBS



EBRB013
A=34 B=45 C=155
BS:1500KG/3300LBS



EBRB014
A=38 B=40 C=135
BS:2000KG/4400LBS



EBRB015
A=38 B=40 C=155
BS:2000KG/4400LBS



EBRB016
A=38 B=49 C=155
BS:3000KG/6600LBS



EBRB017
A=38 B=49 C=155
BS:3000KG/6600LBS



EBRB018
A=38 B=49 C=165
BS:3000KG/6600LBS



EBRB019
A=52 B=40 C=133
BS:2000KG/4400LBS



EBRB020
A=52 B=57 C=230
BS:5000KG/11000LBS



EBRB021
A=52 B=57 C=170
BS:5000KG/11000LBS



EBRB022
A=52 B=57 C=170
BS:5000KG/11000LBS



EBRB023
A=52 B=57 C=230
BS:5000KG/11000LBS



EBRB024
A=52 B=57 C=230
BS:5000KG/11000LBS



EBRB025
A=52 B=57 C=196
BS:5000KG/11000LBS



EBRB026
A=52 B=57 C=250
BS:5000KG/11000LBS



EBRB027
A=52 B=57 C=250
BS:5000KG/11000LBS



EBRB028
A=52 B=57 C=230
BS:5000KG/11000LBS



EBRB029
A=52 B=57 C=300
BS:5000KG/11000LBS



EBRB030
A=52 B=57 C=300
BS:5000KG/11000LBS



EBRB031
A=52 B=62 C=217
BS:6000KG/13300LBS



EBRB032
A=78 B=57 C=300
BS:10000KG/22000LBS



EBRB033
A=104 B=57 C=300
BS:10000KG/22000LBS



EBRB034
A=52 B=57 C=196
BS:5000KG/11000LBS



EBRB035
A=52 B=57 C=196
BS:5000KG/11000LBS



EBRB036
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB037
A=28 B=45 C=126
BS:1200KG/2640LBS



EBRB038
A=28 B=45 C=120
BS:1500KG/3300LBS



EBRB039
A=38 B=40 C=135
BS:2000KG/4400LBS



EBRB040
A=38 B=49 C=155
BS:2500KG/5500LBS



EBRB041
A=52 B=40 C=133
BS:1500KG/3300LBS



EBRB042
A=52 B=49 C=196
BS:3000KG/6600LBS



EBRB043
A=52 B=57 C=230
BS:3000KG/6600LBS



EBRB044
A=28 B=45 C=126
BS:1500KG/3300LBS



EBRB045
A=28 B=40 C=145
BS:1500KG/3300LBS



EBRB046
A=38 B=57 C=185
BS:3000KG/6600LBS



EBRB047
A=26 B=65 C=133
BS:800KG/1760LBS




EBRB048
A=52 B=57 C=196
BS:5000KG/11000LBS



ITEM:EBRB049
A=52 B=57 C=300
BS: 5000KG/11000LBS



ITEM:EBRB050
A=52 B=57 C=230
BS: 5000KG/11000LBS



ITEM:EBRB051
A=78 B=76 C=220
BS: 10000KG/22000LBS



ITEM:EBRB052
A=52 B=57 C=230
BS: 5000KG/11000LBS



ITEM:EBRB053
A=52 B=52 C=230
BS: 2500KG/5500LBS



EBRB054
A=52 B=57 C=196
BS:3000KG/6600LBS



EBRB055
A=52 B=40 C=147
BS:2000KG/4400LBS



EBRB056
A=52 B=40 C=147
BS:2000KG/4400LBS



EBRB057
A=38 B=39 C=165
BS:2000KG/4400LBS



EBRB058
A=28 B=45 C=126
BS:750KG/1650LBS



EBRB059
A=28 B=40 C=119
BS:800KG/1760LBS



EBRB060
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB061
A=26 B=40 C=115
BS:800KG/1760LBS



EBRB062
A=26 B=42 C=127
BS:800KG/1760LBS



EBRB063
A=28 B=39 C=100
BS:800KG/1760LBS



EBRB064
A=52 B=62 C=400
BS: 5000KG/11000LBS



EBRB065
A=36 B=42 C=130
BS:2000KGS/4400LBS



EBRB066
A=36 B=42 C=130
BS:2000KGS/4400LBS



EBRB067
A=40 B=49 C=155
BS:3000KGS/6600LBS



EBRB068
A=40 B=49 C=155
BS:3000KGS/6600LBS



EBRB069
A=40 B=49 C=155
BS:3000KGS/6600LBS



EBRB070
A=50 B=52 C=160
BS:5000KGS/11000LBS



EBRB071
A=52 B=50 C=160
BS:3000KGS/66000LBS



EBRB072
BS:5000KGS



EBRB073
A=52 B=57 C=230
BS:5T



EBRB074
A=52 B=57 C=170
BS:2500KGS



EBRB075
BS: 5000KG



EBRB076



EBRB077



EBRB078

CAM BUCKLE



EBCA001
Cam buckle
Size: 13MM
BS: 110Kg/220Lbs



EBCA002
Cam buckle
Size: 3/4"
BS: 110Kg/220Lbs



EBCA003
Cam buckle
Size: 1"
BS: 250Kg/550Lbs



EBCA004
Cam buckle
Size: 1"
BS: 350Kg/770Lbs



EBCA005
Cam buckle
Size: 1"
BS: 340Kg/750Lbs



EBCA006
Cam buckle
Size: 1"
BS: 400Kg/880Lbs



EBCA007
Cam buckle
Size: 1"
BS: 500Kg/1100Lbs



EBCA008
Cam buckle
Size: 1"
BS: 450Kg/990Lbs




EBCA009
Cam buckle
Size: 1"
BS: 500Kg/1100Lbs



EBCA010
Cam buckle
Size: 1"
BS: 600Kg/1320Lbs



EBCA011
Cam buckle
Size: 1"
BS: 600Kg/1320Lbs



EBCA012
Cam buckle
Size: 1"
BS: 600Kg/1320Lbs



EBCA013
Cam buckle
Size: 1"
BS: 600Kg/1320Lbs



EBCA014
Cam buckle
Size: 1"
BS: 600Kg/1320Lbs



EBCA015
Cam buckle
Size: 1 1/2"
BS: 900Kg/1980Lbs



EBCA016
Cam buckle
Size: 1 1/2"
BS: 750Kg/1650Lbs



EBCA017
Cam buckle
Size: 2"
BS: 700Kg/1540Lbs



EBCA018
Cam buckle
Size: 2"
BS: 1100Kg/2420Lbs



EBCA019
Cam buckle
Size: 2"
BS: 200Kg/440Lbs

OVER CENTER BUCKLE



EBOB001
SIZE 2"
Material: Steel
BS: 2000KG



EBOB002
SIZE 2"
Material: Steel
BS: 2000KG



EBOB003
SIZE 2"
Material: Steel
BS: 800KG



EBOB004
SIZE 2"
Material: Steel
BS: 800KG



EBOB005
SIZE 2"
304Stainless Steel
BS: 450KG



EBOB006
SIZE 2"
304Stainless Steel
BS: 800KG



EBOB007
SIZE 2"
304Stainless Steel
BS: 1100KG



EBOB008
SIZE 2"
304Stainless Steel
BS: 800KG



EBOB009
SIZE 2"
304Stainless Steel
BS: 1360KG



EBOB010
SIZE 2"
304Stainless Steel
BS: 800KG



EBOB011
SIZE 2"
304Stainless Steel
BS: 1100KG



EBOB012
SIZE:
Material: 304 Stainless Steel
BS:

END HOOKS



ITEM BS(LBS)
EBEH001 1300
EBEH002 1500
EBEH003 1750
EBEH004 2500



ITEM BS(LBS)
EBEH005 1540
EBEH006 1760
EBEH007 2200
EBEH008 2640
EBEH009 3300
EBEH010 3740



ITEM:EBEH011
BS:1500KG/3300LBS
SIZE:1.5"



ITEM BS(LBS)
EBEH012 3300
EBEH013 4400



ITEM:EBEH014
BS:1500KG/3300LBS
SIZE:2"



ITEM:EBEH015
BS :590KG/1300LBS
SIZE: 2"



ITEM BS(LBS)
EBEH016 D RING 3300
EBEH017 D RING 11000



ITEM BS(LBS)
EBEH018 3300
EBEH019 11000



ITEM:EBEH020
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH021
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH022
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH023
BS :5000KG/11000LBS
SIZE: 2"



ITEM SIZE BS(LBS)
EBEH024 3" 20000
EBEH025 4" 22000



ITEM BS(LBS)
EBEH026 3300
EBEH027 6600
EBEH028 11000



ITEM BS(LBS)
EBEH029 3300
EBEH030 6600
EBEH031 11000



ITEM BS(LBS)
EBEH032 3300
EBEH033 5500
EBEH034 11000



ITEM:EBEH035
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH036
BS :318KG/700LBS
SIZE: 1"



ITEM:EBEH037
BS :3000KG/6600LBS
SIZE: 2"



ITEM:EBEH038
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH039
BS :5000KG/11000LBS
SIZE: 2"



ITEM	BS(LBS)
EBEH040	17600
EBEH041	17600



ITEM	BS(LBS)
EBEH042	17600
EBEH043	17600



ITEM:EBEH044
BS :3000KG/6600LBS
SIZE: 1 1/2"



ITEM	BS(LBS)
EBEH045	6600
EBEH046	11000
EBEH047	22000



ITEM	BS(LBS)
EBEH048	6600
EBEH049	11000



ITEM	BS(LBS)
EBEH050	6600
EBEH051	11000



ITEM:EBEH052
BS :5000KG/11000LBS
SIZE: 2"



ITEM	BS(LBS)
EBEH053	1760
EBEH054	6600
EBEH055	11000



ITEM	BS(LBS)
EBEH056	6600
EBEH057	11000



ITEM	BS(LBS)
EBEH058	3000
EBEH059	11000



ITEM	BS(LBS)
EBEH060	6600
EBEH061	11000
EBEH062	22000
EBEH063	22000



ITEM:EBEH064
BS :1500KG/3300LBS
SIZE: 1"



ITEM	BS(LBS)
EBEH065–53	3300
EBEH066–85	3300



ITEM	BS(LBS)
EBEH067–65	6600
EBEH068–86	6600



ITEM:EBEH069
BS :2000KG/4400LBS
SIZE: 2"



ITEM	BS(LBS)
EBEH070	4400
EBEH071	6600
EBEH072	8800
EBEH073–85	11000
EBEH074–110	11000
EBEH075	22000
EBEH076	22000



ITEM	BS(LBS)
EBEH077–105	11000
EBEH078–115	11000



ITEM:EBEH079
BS :1500KG/3300LBS
SIZE: 2"



ITEM:EBEH080
BS :7350KG/16200LBS
SIZE: 3"OR 4"



ITEM:EBEH081
BS :1500KG/3300LBS
SIZE: 1"



ITEM:EBEH082
BS :3000KG/6600LBS
SIZE: 2"



ITEM:EBEH083
BS :3000KG/6600LBS
SIZE: 2"



ITEM:EBEH084
BS :3000KG/6600LBS
SIZE: 2"



ITEM	BS(LBS)
EBEH085 S HOOK	1760
EBEH086 S HOOK	3300



ITEM:EBEH087
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH088
BS :5500KGS
SIZE: 2"



ITEM:EBEH089
BS :5500KGS
SIZE: 2"



ITEM:EBEH090
BS :1500KG/3300LBS
SIZE: 1 1/16"



ITEM:EBEH091
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH092
BS :450KG/900LBS
SIZE: 2"
BS :800KG/1760LBS
SIZE: 2"



ITEM:EBEH093
BS :750 KG/1650LBS
SIZE: 1"
BS :3000KG/6600LBS
SIZE: 2"



ITEM:EBEH094
BS :1500KG/3300LBS
SIZE: 1"



ITEM:EBEH095
BS :1500KG/3300LBS
SIZE: 1"



ITEM:EBEH096
BS :2000KG/4400LBS
SIZE: 1"



ITEM:EBEH097
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH098
BS :1400KG/3080LBS
SIZE: 2"



ITEM:EBEH099
BS :5000KG/11000LBS
SIZE: 2"



ITEM:EBEH100
BS :1360KG/3000LBS
SIZE: 2"



ITEM:EBEH101



ITEM:EBEH102



ITEM:EBEH103



ITEM:EBEH104



ITEM:EBEH105



ITEM:EBEH106



ITEM:EBEH107



ITEM:EBEH108



ITEM:EBEH109




ITEM:EBEH110



ITEM:EBEH111



ITEM:EBEH112



ITEM:EBEH113



ITEM:EBEH114



ITEM:EBEH115



ITEM:EBEH116



ITEM:EBEH117



ITEM:EBEH118



ITEM:EBEH119



ITEM:EBEH120



ITEM:EBEH121



ITEM:EBEH122



ITEM:EBEH123



ITEM:EBEH124



ITEM:EBEH125



ITEM:EBEH126

RING-MISCELLANEOUS



ITEM:BXMS001



ITEM:BXMS002



ITEM:BXMS003



ITEM:BXMS004



ITEM:BXMS005



ITEM:BXMS006



ITEM:BXMS007



ITEM:BXMS008



ITEM:BXMS009



ITEM:BXMS010



ITEM:BXMS011



ITEM:BXMS012



ITEM:BXMS013




ITEM:BXMS014



ITEM:BXMS015



ITEM:BXMS016



ITEM:BXMS017



ITEM:BXMS018



ITEM:BXWR001





HARDWARE MISCELLANEOUS



ITEM:EBHW001
BS:800LBS



ITEM:EBHW002
BS:4800LBS



ITEM:EBHW003
BS:6000LBS



ITEM:EBHW004
BS:1200LBS



ITEM:EBHW005
BS:12000LBS 2"



ITEM:EBHW008
BS:20000LBS
WEB SIZE:4"



ITEM:EBHW009
BS:16200LBS
WEB SIZE:3"



ITEM:EBHW010
BS:5000KGS/11000LBS



ITEM:EBHW011
BS:6400KGS/18800LBS
SIZE:5/16"



ITEM:EBHW012
BS:1200KGS/26400LBS
SIZE:3/8"



ITEM:EBHW013
BS:4540KGS/10000LBS
WEB SIZE:2"



ITEM:EBHW014
BS:9000KGS/19800LBS
WEB SIZE:2"



ITEM:EBHW015




ITEM BS(LBS)
EBHW018 1/2" 11000
EBHW019 5/8" 18390
EBHW020 3/4" 26500
EBHW021 1" 46760



ITEM:EBHW022
BS:46760LBS



ITEM:EBHW023
BS:46760LBS



ITEM:EBHW024



ITEM:EBHW025



ITEM:EBHW026



ITEM:EBHW027



ITEM:EBHW028-031,314,315



ITEM:EBHW032



ITEM:EBHW033
SIZE:1"



ITEM:EBHW034
BS:5000LBS



ITEM:EBHW035
LENGTH: 33"

HARDWARE MISCELLANEOUS



ITEM:EBHW036
LENGTH: 39.75"



ITEM:EBHW037



ITEM:EBHW038



ITEM:EBHW040



ITEM:EBHW041
SIZE: 33MM, 42MM, 52MM



ITEM:EBHW042
SIZE: 33MM, 42MM, 52MM



ITEM:EBHW043
SIZE:2"



ITEM:EBHW044
SIZE:35MM
BS:16KN/32KN



ITEM:EBHW045
SIZE:35MM
BS:16KN/32KN



ITEM:EBHW046
SIZE:35MM
BS:16KN/32KN



ITEM:EBHW047



ITEM:EBHW048



ITEM:EBHW049



ITEM:EBHW050
SIZE:5T,20T,25T,36T,41T,50T



ITEM:EBHW051
SIZE:3T,5T



ITEM:EBHW052



ITEM:EBHW053



ITEM:EBHW054
SIZE:40MM
ITEM:EBHW055
SIZE:50MM



ITEM:EBHW056
SIZE:40MM
ITEM:EBHW057
SIZE:50MM



ITEM:EBHW058
SIZE:40MM
ITEM:EBHW059
SIZE:50MM



ITEM:EBHW060
SIZE:40MM
ITEM:EBHW061
SIZE:50MM



ITEM:EBHW062



ITEM:EBHW063



ITEM:EBHW064



ITEM:EBHW065



ITEM:EBHW066



ITEM:EBHW067



ITEM:EBHW068



ITEM: EBHW069



ITEM:EBHW070



ITEM:EBHW071



ITEM:EBHW072



ITEM:EBHW073




ITEM:EBHW074



ITEM:EBHW075



ITEM:EBHW076



ITEM:EBHW077



ITEM:EBHW078



ITEM:EBHW079



ITEM:EBHW080



ITEM:EBHW081



ITEM:EBHW082



ITEM:EBHW083



ITEM:EBHW084



ITEM:EBHW085



ITEM:EBHW086



ITEM:EBHW087



ITEM:EBHW088



ITEM: EBHW089




ITEM:EBHW090



ITEM:EBHW091



ITEM:EBHW092



ITEM:EBHW093



ITEM: EBHW094



ITEM:EBHW095



ITEM:EBHW096




ITEM:EBHW097



ITEM:EBHW098



ITEM:EBHW099



ITEM:EBHW100



ITEM:EBHW101



ITEM:EBHW102



ITEM:EBHW103



ITEM:EBHW104



ITEM:EBHW105



ITEM:EBHW106



ITEM:EBHW107



ITEM:EBHW108



ITEM:EBHW109



ITEM:EBHW110



ITEM:EBHW111



ITEM:EBHW112



ITEM:EBHW113



ITEM: EBHW114




ITEM:EBHW115



ITEM:EBHW116



ITEM:EBHW117



ITEM:EBHW118



ITEM: EBHW119



ITEM:EBHW120

HARDWARE MISCELLANEOUS



ITEM:EBHW141



ITEM:EBHW142



ITEM:EBHW143



ITEM: EBHW144



ITEM:EBHW145



ITEM:EBHW121



ITEM:EBHW122



ITEM:EBHW123



ITEM:EBHW124



ITEM:EBHW125




ITEM:EBHW147



ITEM:EBHW148



ITEM: EBHW149



ITEM:EBHW150



ITEM:EBHW126



ITEM:EBHW127



ITEM:EBHW128



ITEM:EBHW129



ITEM:EBHW130



ITEM:EBHW151



ITEM:EBHW152



ITEM:EBHW153



ITEM: EBHW154



ITEM:EBHW155



ITEM:EBHW131



ITEM:EBHW132



ITEM:EBHW133



ITEM:EBHW134



ITEM:EBHW135



ITEM:EBHW156



ITEM:EBHW157



ITEM:EBHW158



ITEM: EBHW159



ITEM:EBHW160
length:32.5"
ITEM:EBHW220
length:34"



ITEM:EBHW136



ITEM:EBHW137



ITEM:EBHW138



ITEM: EBHW139



ITEM:EBHW140



ITEM:EBHW161



ITEM:EBHW162



ITEM:EBHW163



ITEM: EBHW164



ITEM:EBHW165

HONEST PERSONHOOD, STEADFAST WORK, PIONEERING SPIRIT, PERFECT PURSUING

HARDWARE MISCELLANEOUS



ITEM:EBHW166



ITEM:EBHW167



ITEM:EBHW168



ITEM: EBHW169



ITEM:EBHW170




ITEM:EBHW191



ITEM:EBHW192



ITEM:EBHW193



ITEM: EBHW194



ITEM:EBHW195



ITEM:EBHW171




ITEM:EBHW172



ITEM:EBHW173




ITEM:EBHW174



ITEM:EBHW175



ITEM:EBHW196



ITEM:EBHW197



ITEM:EBHW198



ITEM: EBHW199



ITEM:EBHW200



ITEM:EBHW176



ITEM:EBHW177



ITEM:EBHW178



ITEM:EBHW179



ITEM:EBHW180



ITEM:EBHW201



ITEM:EBHW202



ITEM:EBHW203



ITEM: EBHW204



ITEM:EBHW205



ITEM:EBHW181



ITEM:EBHW182




ITEM:EBHW183



ITEM:EBHW184



ITEM:EBHW185



ITEM:EBHW206



ITEM:EBHW207



ITEM:EBHW208



ITEM: EBHW209



ITEM:EBHW210



ITEM:EBHW186



ITEM:EBHW187



ITEM:EBHW188



ITEM: EBHW189



ITEM:EBHW190



ITEM:EBHW211



ITEM:EBHW212



ITEM:EBHW213



ITEM: EBHW214



ITEM:EBHW215

HONEST PERSONHOOD, STEADFAST WORK, PIONEERING SPIRIT, PERFECT PURSUING

HARDWARE MISCELLANEOUS



ITEM:EBHW216



ITEM:EBHW217



ITEM:EBHW218



ITEM: EBHW219



ITEM:EBHW221



ITEM:EBHW242



ITEM:EBHW243



ITEM: EBHW244




ITEM:EBHW245



ITEM:EBHW246



ITEM:EBHW222



ITEM:EBHW223



ITEM: EBHW224



ITEM:EBHW225



ITEM:EBHW226



ITEM:EBHW247



ITEM:EBHW248



ITEM: EBHW249



ITEM:EBHW250



ITEM:EBHW251



ITEM:EBHW227



ITEM:EBHW228



ITEM: EBHW229



ITEM:EBHW230




ITEM:EBHW231



ITEM:EBHW252



ITEM:EBHW253




ITEM: EBHW254



ITEM:EBHW255



ITEM:EBHW256



ITEM:EBHW232



ITEM:EBHW233



ITEM: EBHW234



ITEM:EBHW235



ITEM:EBHW236



ITEM:EBHW257



ITEM:EBHW258



ITEM: EBHW259



ITEM:EBHW260



ITEM:EBHW261



ITEM:EBHW237



ITEM:EBHW238



ITEM: EBHW239



ITEM:EBHW240



ITEM:EBHW241



ITEM:EBHW262



ITEM:EBHW263



ITEM: EBHW264



ITEM:EBHW265



ITEM:EBHW266

HONEST PERSONHOOD, STEADFAST WORK, PIONEERING SPIRIT, PERFECT PURSUING



ITEM:EBHW267



ITEM:EBHW268



ITEM: EBHW269



ITEM:EBHW270



ITEM:EBHW271




ITEM:EBHW272




ITEM:EBHW273




ITEM: EBHW274



ITEM:EBHW275



ITEM:EBHW276




ITEM:EBHW277



ITEM:EBHW278



ITEM: EBHW279




ITEM:EBHW280




ITEM:EBHW281




ITEM:EBHW282



ITEM:EBHW283




ITEM: EBHW284



ITEM:EBHW285



ITEM:EBHW286




ITEM:EBHW287




ITEM:EBHW288




ITEM: EBHW289




ITEM:EBHW290



ITEM:EBHW291



ITEM:EBHW292



ITEM:EBHW293



ITEM: EBHW294



ITEM:EBHW295



ITEM:EBHW296



ITEM:EBHW297



ITEM:EBHW298



ITEM: EBHW299



ITEM:EBHW300



ITEM:EBHW301



ITEM:EBHW302



ITEM:EBHW303



ITEM: EBHW304



ITEM:EBHW305



ITEM:EBHW306



ITEM:EBHW307




ITEM:EBHW308



ITEM: EBHW309



ITEM: EBHW310



ITEM:EBHW311



ITEM: EBHW312



ITEM:EBHW313



ITEM: EBHW316



ITEM:EBHW317



ITEM:EBHW318

HARDWARE MISCELLANEOUS



ITEM:EBHW319



ITEM:EBHW320
ITEM:EBHW321



ITEM: EBHW322



ITEM:EBHW323




ITEM:EBHW324



ITEM: EBHW345



ITEM: EBHW346



ITEM: EBHW347



ITEM: EBHW348



ITEM:EBHW349



ITEM:EBHW325



ITEM:EBHW326



ITEM: EBHW327



ITEM:EBHW328




ITEM: EBHW329



ITEM: EBHW350



ITEM: EBHW351



ITEM: EBHW352



ITEM: EBHW353



ITEM:EBHW354



ITEM:EBHW330




ITEM:EBHW331



ITEM: EBHW332



ITEM:EBHW333



ITEM:EBHW334



ITEM: EBHW355



ITEM: EBHW356



ITEM: EBHW357



ITEM: EBHW358
ITEM: EBHW359



ITEM:EBHW360



ITEM: EBHW335



ITEM: EBHW336



ITEM:EBHW337



ITEM: EBHW338



ITEM:EBHW339



ITEM: EBHW361



ITEM: EBHW362



ITEM: EBHW363



ITEM:EBHW364



ITEM:EBHW365



ITEM: EBHW340



ITEM: EBHW341



ITEM: EBHW342



ITEM: EBHW343



ITEM:EBHW344



ITEM: EBHW368



ITEM: EBHW369



ITEM: EBHW370



ITEM: EBHW371



ITEM: EBHW372

HONEST PERSONHOOD, STEADFAST WORK, PIONEERING SPIRIT, PERFECT PURSUING



ITEM:EBHW373



ITEM: EBHW374



ITEM:EBHW375



ITEM:EBHW376



ITEM:EBHW377



ITEM:EBHW378



ITEM: EBHW379



ITEM:EBHW380



ITEM:EBHW381



ITEM:EBHW382



ITEM: EBHW383



ITEM:EBHW384



ITEM: EBHW385



ITEM:EBHW386



ITEM:EBHW387



ITEM: EBHW388



ITEM: EBHW389



ITEM: EBHW390



ITEM:EBHW391



ITEM:EBHW392



ITEM: EBHW393




ITEM: EBHW394
ITEM: EBHW395



ITEM: EBHW396



ITEM: EBHW397



ITEM: EBHW398

HARDWARE MISCELLANEOUS



ITEM: EBHW399



ITEM: EBHW400



ITEM:EBHW401



ITEM:EBHW402



ITEM: EBHW403



ITEM: EBHW404



ITEM: EBHW405
ITEM: EBHW406



ITEM: EBHW409



ITEM: EBHW410



ITEM: EBHW411



ITEM:EBHW412




ITEM: EBHW413



ITEM: EBHW414



ITEM: EBHW415



ITEM: EBHW416



ITEM:EBHW417



ITEM: EBHW418



ITEM: EBHW419



ITEM: EBHW420




ITEM: EBHW421



ITEM: EBHW422



ITEM:EBHW423




ITEM:EBHW424



ITEM: EBHW426



ITEM:EBHW427



ITEM:EBHW428



ITEM:EBHW429



ITEM:EBHW430



ITEM: EBHW431



ITEM:EBHW432



ITEM:EBHW446



ITEM: EBHW447



ITEM: EBHW448



ITEM:EBHW449



ITEM: EBHW452




ITEM:EBHW453



ITEM: EBHW454



ITEM: EBHW455



ITEM: EBHW456



ITEM: EBHW457



ITEM:EBHW458



ITEM: EBHW459



ITEM: EBHW460



ITEM: EBHW461



ITEM: EBHW462




ITEM:EBHW463 size:31x9mm
ITEM:EBHW464 size:32x8.4mm
ITEM:EBHW465 size:36.9x9.8mm
ITEM:EBHW466 size:40x9mm



ITEM: EBHW467



ITEM: EBHW468



ITEM: EBHW469



ITEM:EBHW471



ITEM:EBHW472



ITEM:EBHW473



ITEM:EBHW474



ITEM: EBHW475



ITEM:EBHW476



ITEM:BXBK01



OEM027



OEM028



OEM036









WINCH



EBWH001



EBWH002



EBWH003



EBWH004



EBWH005



EBWH006



EBWH007



EBWH008



EBWH009



EBWH010



EBWH011



EBWH012



EBWH013



EBWH014



EBWH015



EBWH016



EBWH017



EBWH018



EBWH019



EBWH020



EBWH021



EBWH022



EBWH023



EBWH024



EBWH025



EBWH026



EBWH027



EBWH028



EBWH029



EBWH030



EBWH031



EBWH032



EBWH033



EBWH034



EBWH035




EBWH036



EBWH037



EBWH038



EBWH039



EBWH040



EBWH041



EBWH042



EBWH043



EBWH044



EBWH045



EBWH046



EBWH047



EBWH048



EBWH049




EBWH050

WINCH AND WINCH BARS



EBWH051



EBWH052



EBWH053



EBWH054



EBWH055



EBWH056



EBWH057



EBWH058



EBWH059



EBWH060



EBWH061



EBWH062



EBWH063



EBWH064

WINCH TRACKS



EBWT001


EBWT002

EBWT003

EBWT004

EBWT005

WINCH BARS



EBWB008

LOAD BINDER AND BINDER CHAINS

LOAD BINDER



ITEM	SIZE	BS(LBS)
EBLB001	1/4"–5/16"	7800
EBLB002	5/16"–3/8"	19000
EBLB003	5/16"–3/8"	26000
EBLB004	3/8"–1/2"	33000
EBLB005	1/2"–5/8"	46000



ITEM	SIZE	BS(LBS)
EBLB006	1/4"–5/16"	7800
EBLB007	5/16"–3/8"	19000
EBLB008	3/8"–1/2"	33000
EBLB009	1/2"–5/8"	46000



ITEM	SIZE	BS(LBS)
EBLB010	5/16"–3/8"	19000
EBLB011	3/8"–1/2"	33000
EBLB012	1/2"–5/8"	46000



ITEM	SIZE	BS(LBS)
EBLB013	5/16"–3/8"	19000
EBLB014	3/8"–1/2"	33000



ITEM	SIZE	BS(DAN)
EBLB015	8mm	8000
EBLB016	10mm	12600
EBLB017	13mm	21200



ITEM	BS(DAN)
EBLB018	8000
EBLB019	12600
EBLB020	21200



ITEM	SIZE	BS(DAN)
EBLB021	8mm	8000
EBLB022	10mm	12600
EBLB023	13mm	21200
EBLB052	6mm	4500



ITEM	SIZE	BS(DAN)
EBLB024	8mm	8000
EBLB025	10mm	12600
EBLB026	13mm	21200



ITEM:EBLB027

PRODUCED ACCORDING TO CUSTOMER'S REQUEST



ITEM :EBLB028

PRODUCED ACCORDING TO CUSTOMER'S REQUEST



ITEM	SIZE	BS(LBS)
EBLB029	5/16"	18800
EBLB030	3/8"	26400
EBLB031	1/2"	45200
EBLB051	1/4"	12600




ITEM	SIZE	BS(LBS)
EBLB032	5/16"	18800
EBLB033	3/8"	26400
EBLB034	1/2"	45200
EBLB050	1/4"	12600




ITEM	SIZE	M.B.S(TON)
EBLB035	9mm	10
EBLB036	11mm	15
EBLB037	13mm	20



ITEM	SIZE	M.B.S(TON)
EBLB038	9mm	10
EBLB039	11mm	15
EBLB040	13mm	20





LOAD BINDER TO USE



ITEM	SIZE	BS(LBS)
EBLB041	3/8”	7400



ITEM	SIZE	BS(LBS)
EBLB042	3/8”	8800



ITEM	SIZE	BS(LBS)
EBLB043	1/4” –5/16”	26400



ITEM	SIZE	BS(LBS)
EBLB044	8mm	7600
EBLB045	10mm	12000
EBLB046	12mm	18000



ITEM	SIZE
EBLB047	8mm
EBLB048	10mm
EBLB049	13mm



ITEM	SIZE	BS(LBS)
EBLB053	5/16”–3/8”	24850



ITEM	SIZE	BS(LBS)
EBLB054	3/8”–1/2”	36000



ITEM	SIZE	BS(LBS)
EBLB055	3/8”–1/2”	39000



ITEM	SIZE	BS(LBS)
EBLB056	3/8”–1/2”	36000



ITEM	SIZE	BS(LBS)
EBLB057	1/2”–5/8”	39000



ITEM	SIZE	BS(LBS)
EBLB058	1/2”–5/8”	48000



ITEM	SIZE	BS(LBS)
EBLB059	1/2”–5/8”	45000



ITEM	SIZE	BS(LBS)
EBLB060	5/16”–3/8”	26400
EBLB061	3/8”–1/2”	36000



ITEM	SIZE	BS(LBS)
EBLB062	10mm	6300



ITEM :EBLB063
PRODUCED ACCORDING TO CUSTOMER’ S REQUEST



ITEM :EBLB064
PRODUCED ACCORDING TO CUSTOMER’ S REQUEST



ITEM :EBLB065
PRODUCED ACCORDING TO CUSTOMER’ S REQUEST



ITEM	SIZE	BS(LBS)
EBLB066	3/16”–1/4”	10500



ITEM	SIZE	BS(LBS)
EBLB067	3/8"–1/2"	45000



ITEM	SIZE	BS(LBS)
EBLB068	5/16"–3/8"	24850



ITEM	SIZE	BS(LBS)
EBLB069	5/16"–3/8"	21900



ITEM	SIZE	BS(LBS)
EBLB070	5/16"–3/8"	21900




ITEM	SIZE	BS(LBS)
EBLB071	5/16"–3/8"	21300



ITEM	SIZE	BS(LBS)
EBLB072	3/8"x35"	26400



ITEM :EBLB073
PRODUCED ACCORDING TO CUSTOMER'S REQUEST



CHAIN V BRIDLE



EBTB001



EBTB002



EBTB003



EBTB004



EBTB005



EBTB006



EBTB007



EBTB008



EBTB009



EBTB010



EBTB011



EBTB012



EBTB013



EBTB014



EBTB015



EBTB016

CHAIN V BRIDLE



EBTB017，018



EBTB019



EBTB020



EBTB021



EBTB034



EBTB035



EBTB036



EBTB037



EBTB022



EBTB023



EBTB024



EBTB025



EBTB038



EBTB039



EBTB040



EBTB041



EBTB026



EBTB027



EBTB028



EBTB029



EBTB042



EBTB043



EBTB044



EBTB045



EBTB030



EBTB031



EBTB032



EBTB033



EBTB046
EBTB047



EBTB048



EBTB049



EBTB050



EBTB051



EBTB052



EBTB053



EBTB054



EBTB055



EBTB056



EBTB057



EBTB058



EBTB059



EBTB060



EBTB061



EBTB062



EBTB067



EBTB068



EBTB069



EBTB070



EBTB071



EBTB072



EBTB073



EBTB074



EBTB075



EBTB076



EBTB077



EBTB078



EBTB063



EBTB064



EBTB065



EBTB066



EBTB079



EBTB080



EBTB081



EBTB082



EBTB083

RIGGING HARDWARE



G209



G210



G-213



G-215



G-2130



G-2150



US type



US type



US type



US type



Commercial



DIN1480



G277



G271



DIN580



DIN582



SPECIAL



SPECIAL



US MELL



A TYPE



DN741



DIN1142



US FORGED



G429



H-330



H-331



H-323



H-324



S-320



S-322



G80



G80



G80



G80



G80



G80



G80



G80



G80



G80



G80



G80



Alu type



Alu type



Alu type



Copper



Copper



Copper



G414



G411



DIN6899A



DIN6899B



Steel type



Steel type




Steel type



BXHK006















HAND WINCH



BXMW001-002



BXMW003-004



BXMW005



BXMW006-007



BXMW008



BXMW009




BXMW010



BXMW011



BXMW012



BXMW013-014



BXMW015-016



BXMW017-019



BXMW020-028



BXMW029-037



BXMW038-046、051



BXMW047-050

MORE INFORMATION IN OUR WEBSITE.....

CHAIN BLOCK/CHAIN LEVER BLOCK



BXBL001



BXBL002



BXBL003



BXBL004



BXBL005



BXBL006



BXBL007




BXBL008



BXBL009



BXBL010



BXBL011

DOUBLE RAM BOTTLE JACK



HYDRAULIC BOTTLE JACK



DYDRAULIC FLOOR JACK AND JACK STAND



HYDRAULIC CRIMPING TOOL



TRAILER COUPLER/HITCH BALL


BXCP001-004


BXCP005-013


BXCP014-016


BXCP017-042


BXCP043-044


BXCP045-056


BXCP057-059


BXCP060


BXCP061-074


BXCP075-077


BXCP078-079


BXCP080-082


BXCP083-085


BXCP086


BXCP087


BXCP088


BXCP089


BXCP090


BXCP091


BXCP092


BXCP093-095


BXCP096-098


BXCP099


BXCP100


BXCP101


BXCP102-105

PLEASE VISIT OUR WEBSITE FOR DETAILS

TRAILER JACK


BXTJ001


BXTJ002


BXTJ003


BXTJ004


BXTJ005


BXTJ006


BXTJ007


BXTJ008


BXTJ009


BXTJ010


BXTJ011


BXTJ012


BXTJ013


BXTJ014


BXTJ015


BXTJ016


BXTJ017


BXTJ018


BXTJ019


BXTJ020


BXTJ021


BXTJ022


BXTJ023


BXTJ024


BXTJ025-026


BXTJ027-030


BXTJ031


BXTJ032


BXTJ033


BXTJ034


BXTJ035


BXTJ036


BXTJ037


2018青岛博信挑战五岳之尊 泰山

Your reliable friend and business partner.

SERVICE GENERAL INFORMATION:

Qingdao Zhongjia Cargo Control concentrate on supplying good quality products at very compeitive prices with professional and efficient services.

High Quality to the USA and Europe with Competitive Prices
TUV/GS, DEKRA approved quality is for the European markets and North and South America. We now have over 800 clients, and 200 of them have sourced from us for ten years or more.

Fast Sample and Lead Time (Quick Shipment)
We create about five new products each month according to customers' drawings or samples. If you request a sample, we can complete it in seven days, due to our in–house molding facility. When you source from us, the order will be finished within 30 days. We have experience in the shipment too. So we could help you to work at the shipment transportation.

ORDER PRODUCTION:

For standsrd products, the lead time is about 30 days.
Of course, if we are just producing the same item, we could supply you more quickly. In the busy time, it will be more than 30 days.
If Customer need the products very urgent, please just tell us in advance, we could check our production, and find opportunity to supply early.

KEEP CUSTOMER'S INFORMATION SECRET:

Zhongjia respect customers' privacy, and keep all the information confidential.
For customer' s information, such as names, addresses, phone numbers, business details and any other information, that will be for Zhongjia use only.
If refused when any person ask these information, please understand.

SAMPLE FEES:

According to Zhongjia sample principle, we will collect sample fees/express fees from new customer, before we establish business.
Guarantee: Sample fees and express fees will be refund to customer in the order.
For regular customer, no sample fee or express fee needed.

PAYMENT:

For small order amount under $8000, we will ask 100% Prepaid.

GOOD SUGGESTION:

If Customer have good suggestion to cooperate well, please just leave us a message or contact with us directly.

YOUR GOOD SUGGESTION WILL BE MUCH APPRECIATED.

